Submit 3 Copies To Appropriate	District							Form C-103	
Office		State of Ne			WELL AP	LNO	**	June 19, 2008	
District I 1625 N. French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources					VVLLLA		.05914		
DISTRICT OF SOME PROPERTY OF STATE OF SOME STATE OF STATE						30-025-05814 / 5. Indicate Type of Lease			
District III						-		EU	
1000 Rio Brazos Rd. Aztec, NM 87440 BBSOCD 1220 South St. Francis Dr.						STATE			
District IV Santa Fe, NM 87505 1220 S. St. Francis Dr., Santa Fe, NM 87505						il & Gas Lea	ise NO.		
SUNDRY NOTICES AND REPORTS ON WELLS (DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A						Name or Uni	t Agreeme	nt Name	
DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH						Monument	G/SA Un	nit: Blk 23	
						umber	<u></u>	/	
1. Type of tron. On tron	✓ Gas Well ☐ Other		****		0.000		16 /	<u></u>	
Name of Operator Apache Corporation						Numer 8	73	/	
						10. Pool Name			
303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705						Eunice Monument; G/SA			
4. Well Location Unit Letter	P : 330	feet from the	s	line and	988	feet from the	E	line	
Section	34 Township		Range		NMPM		County	Lea	
	11. Elevation (S			GR, etc.)					
ativities of the same of the s		35.	77' GR						
	12. Check Appropriate B	ox To Indicate	Nature of	Notice, Rep	ort, or Ot	her Data			
N I A	OTIOE OF INTENTION TO				CURCEO	WENT DE	ODT OF		
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL.						SUBSEQUENT REPORT OF:			
TEMPORARILY ABANDON	CHANGE I			COMMENCE		G OPNS.			
PULL OR ALTER CASING	MULTIPLE	COMPL		CASING/CE		В			
DOWNHOLE COMMINGLE				ALTERING (CASING				
OTHER:				P AND A OTHER:					
13. Describe proposed of	or completed operations. (Cla			ils, and give p					
starting any proposed work	k.) SEE RULE 1103. For Mu	Itiple Completio	ns: Attach v	vellbore diagr	ram or pro	posed comp	letion or re	ecompletion.	
Anache (Corporation proposes to	P&A the abov	ve mentior	ned well by	the attac	hed proce	dure.	,	
7.500.00	o. po. m.io p. opecoo to							/	
						-			
		The Oil Co	nservation	Division M	ust be no	tified			
The Oil Conservation Division Must be notified 24 hours prior to the beginning of plugging operations.									
	<u>.</u>								
Spud Date:			Rig Releas	e Date:					
I hereby certify that the informat	tion above is true and complete t	o the best of my k	nowledge and	d belief.				and the second second	
The same and the s		,	_						
SIGNATURE _	Duing Bucks	TITLE _	Reclai	mation Fore	eman	_DATE _	4/	19/11	
Type or print name	Guinn Burks	E-mail add	guinn.burk	s@apached	corp.com	_PHONE:	432-5	56-9143	
For State Use Only				4 .			. /		
APPROVED BY:	Jonaha	TITLE _	JA18	f MA		_DATE	4-6	5-2011	
Conditions of Approval (if	any)://		·					• /	
	,								



 North Monument G/SA Unit: Blk 23

 WELL #
 16

 API #
 30-025-05814

 COUNTY
 Lea

8 5/8" 24# @ 321' w/200 sx to surf Sqzd Csg. Leaks @ 581-613'

(6/01) TOC @ 438'

PBTD @ 438'

TD @ 4026'

Sqz. Csg. Leaks @ 3503-3696'

CIBP @ 3650' w/ 15' cmt. on top (6/01)

Perfs @ 3711'-3793'

Perfs @ 3818'-3870 Perfs @ 3822'-3856' Date unkn when sqzd

5 1/2" 14# @ 4000' w/450 sx cmt TOC ? 4 3/4' OH to 4026'



WELL BORE INFO.

8 5/8" 24# @ 321' w/200 sx to surf Sqzd Csg. Leaks @ 581-613' (6/01) TOC @ 438'

30-025-05814 API# COUNTY Lea PROPOSED PROCEDURE 5. PUH @ perf @ 371' @ sqz 120 sx Class "C" cmt from 371'- to surf, CIRC 5 1/2" to surf. (Shoe & Water Board) MIRU, RIH w/ 4 3/4 " bit & DC & drill out cmt plug @ 438', CIRC hole clean & POH / DC's & bit. 4. PUH & perf @ 1475' & sqz 50 sx Class"C" cmt from 1475'-1375' WOC/TAG (Top of Salt) 3. PUH & perf @ 2675' & sqz 50 sx Class "C" cmt from 2675'-2450' WOC/TAG (Yates & Base of Salt) 2. RIH w/ WS & tag CIBP @ 3635' & spot 25 sx Class "C" cmt form 3635'-3394' WOC/TAG (CIBP & Queen)

LEASE NAME

WELL#

North Monument G/SA Unit: Blk 23

16

Sqz. Csg. Leaks @ 3503-3696'

CIBP @ 3650' w/ 15' cmt. on top (6/01)

Perfs @ 3711'-3793'

Perfs @ 3818'-3870 Perfs @ 3822'-3856' Date unkn when sqzd

5 1/2" 14# @ 4000' w/450 sx cmt TOC ? 4 3/4' OH to 4026'

PBTD @ 438'

TD @ 4026'