

June 19, 2008

Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd. Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-025-05788
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name North Monument Grayburg San Andres Ut.
8. Well Number 282
9. OGRID Numer 873
10. Pool Name Eunice Monument; Grayburg-SA

SUNDRY NOTICES AND REPORTS ON WELLS
 (DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Injection <input checked="" type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter I : 1980 feet from the S line and 660 feet from th E line Section 32 Township 19S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3574' DF

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>
DOWNHOLE COMMINGLE <input type="checkbox"/>	

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>
CASING/CEMENT JOB <input type="checkbox"/>
ALTERING CASING <input type="checkbox"/>
P AND A <input type="checkbox"/>
OTHER: <input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure.

The Oil Conservation Division Must be notified
 24 hours prior to the beginning of plugging operations.

Spud Date: Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE	<u><i>Guinn Burks</i></u>	TITLE	<u>Reclamation Foreman</u>	DATE	<u>5/3/11</u>
Type or print name	<u>Guinn Burks</u>	E-mail add.	<u>guinn.burks@apachecorp.com</u>	PHONE:	<u>432-556-9143</u>
For State Use Only	<u><i>[Signature]</i></u>	TITLE	<u>STAFF MGR</u>	DATE	<u>5-11-2011</u>
APPROVED BY:					
Conditions of Approval (if any):					



WELL BORE INFO.

LEASE NAME

NMGSAU

WELL #

282

API #

30-025-05788

COUNTY

Lea

13" 40# @ 263'
w/200 sx to surf

8 1/4" 32# @ 1332'
w/800 sx cal TOC to surf
(1994) Perfs @ 1447'-1451' sqzd

(1996) Csg leak @ 3409'-3591', spot 30 sx
(2000) Csg leak @ 3547'-3660' spot 26 sx (TOC 3437'
(1953) Original perfs @ 3438'-3596' (Queen)
(1956) Re-perf @ 3495'-3596'
(1967) Spot 25 sx cmt across perfs @ 3438'-3596' to P&A
well (left fish in hole-fish was recovered during 1994 re-
entry

(1996) CIBP @ 3700' w/ 35' cmt
5 1/2" 17# @ 3763'
w/ 800 sx

PBTD @ 3437'
TD @ 3914'

NOTE: This well was P&A'd in 6/1967 & re-entered
& CO to 3914' in 1994



WELL BORE INFO.

LEASE NAME
WELL #
API #
COUNTY

NMGSAU

282

30-025-05788

Lea

PROPOSED PROCEDURE

13" 40# @ 263'
w/200 sx to surf

8 1/4" 32# @ 1332'
w/800 sx cal TOC to surf
(1994) Perfs @ 1447'-1451' sqzd

(1996) Csg leak @ 3409'-3591', spot 30 sx
(2000) Csg leak @ 3547'-3660' spot 26 sx (TOC 3437'
(1953) Original perfs @ 3438'-3596' (Queen)
(1956) Re-perf @ 3495'-3596'
(1967) Spot 25 sx cmt across perfs @ 3438'-3596' to P&A
well (left fish in hole-fish was recovered during 1994 re-
entry

(1996) CIBP @ 3700' w/ 35' cmt
5 1/2" 17# @ 3763'
w/ 800 sx

PBTD @ 3437'
TD @ 3914'

4. PUH & spot 35 sx Class "C" cmt from 313' to surf.
(Shoe & Water Board)

3. PUH & spot 25 sx Class "C" cmt from 1447'-1197'
WOC/TAG (Shoe & Top of Salt)

2. PUH & spot 25 sx Class "C" cmt from 2545'-2295'
WOC/TAG (Base of Salt)

1. MIRU, RIH w/ tbg & verify cmt plug @ 3437' & circ
w/MLP *Spot 25 sx cmt.*

NOTE: This well was P&A'd in 6/1967 & re-entered
& CO to 3914' in 1994