

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd. Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-05899
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease NO.
7. Lease Name or Unit Agreement Name North Monument Grayburg/SA Unit Blk. 22
8. Well Number 6
9. OGRID Numer 873
10. Pool Name Eunice Monument; Grayburg/SA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3560' GR

SUNDRY NOTICES AND REPORTS ON WELLS
(DON NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>
2. Name of Operator Apache Corporation
3. Address of Operator 303 Veterans Airpark Lane, Ste. 3000, Midland, TX 79705
4. Well Location Unit Letter F : 1980 feet from the N line and 1980 feet from th W line Section 4 Township 20S Range 37E NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3560' GR

12. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK	<input type="checkbox"/>	PLUG AND ABANDON	<input checked="" type="checkbox"/>
TEMPORARILY ABANDON	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	MULTIPLE COMPL	<input type="checkbox"/>
DOWNHOLE COMMINGLE	<input type="checkbox"/>		
OTHER:	<input type="checkbox"/>		

SUBSEQUENT REPORT OF:

REMEDIAL WORK	<input type="checkbox"/>
COMMENCE DRILLING OPNS.	<input type="checkbox"/>
CASING/CEMENT JOB	<input type="checkbox"/>
ALTERING CASING	<input type="checkbox"/>
P AND A	<input type="checkbox"/>
OTHER:	<input type="checkbox"/>

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram or proposed completion or recompletion.

Apache Corporation proposes to P&A the above mentioned well by the attached procedure.

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

Spud Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.


SIGNATURE	<u><i>Guinn Burks</i></u>	TITLE	<u>Reclamation Foreman</u>	DATE	<u>5/20/11</u>
Type or print name	<u>Guinn Burks</u>	E-mail add.	<u>guinn.burks@apachecorp.com</u>	PHONE:	<u>432-556-9143</u>
For State Use Only					
APPROVED BY:	<u><i>[Signature]</i></u>	TITLE	<u>STAFF MEMBER</u>	DATE	<u>5-25-2011</u>
Conditions of Approval (if any):					

MAY 25 2011



WELL BORE INFO.

LEASE NAME	North Monument Grayburg/SA Unit Blk.22
WELL #	6
API #	30-025-05899
COUNTY	Lea





WELL BORE INFO.

LEASE NAME	North Monument Grayburg/SA Unit Blk.22
WELL #	6
API #	30-025-05899
COUNTY	Lea

PROPOSED PROCEDURE

17" hole

13' 45# @ 229'
w/250 sx to surf

(1954) HIC @ 530'-594', bradenhead sqz w/ 100 sx
7" x 9 5/8" TOC @ 235'-835'

12' hole

9 5/8" 36# @ 1268'
w/550 sx to surf


Cal TOC @ 1680'

8 3/4" hole

(2001) CIBP @ 3300' w/ 15' cmt

7" 24# @ 3743'
w/350 sx

6 1/4" OH @ 3743'-3905'



4. PUH & perf @ 280' & sqz 100 sx Class "C" cmt from 280' to surf, attempt to sqz all strings to surf. (Shoe & Water Board)

3. PUH & perf @ 1424' & sqz 80 sx Class "C" cmt from 1424'-1218' WOC/TAG (Shoe & Top of Salt)

2. PUH & spot 25 sx Class "C" cmt from 2550'-2400' WOC/TAG (Base of Salt)

1. MIRU, RIH w/tbg & circ w/MLF & spot 25 sx Class "C" cmt from 3285'-3162' (Top of Queen)

(1992) Sqzd perfs @ 3496'-3709' twice w/ 370 sx
DO cmt to 3770' Passed MIT
(1978) perfs @ 3496'-3709'

(1978) sqzd OH w/115 sx TOC 3807'
(1974) Left 1 jt 2 7/8" tbg & standing valve

PBTB @ 3285'
TD @ 3905'