

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87400
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09552
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: J.W. COOPER "A"
8. Well Number 003
9. OGRID Number 162683
10. Pool name or Wildcat JALMAT TAN-YATES-7 RVRS (PRO GAS)

Pit or Below-grade Tank Application ☐ or Closure ☒
Pit type STEEL Depth to Groundwater _____ Distance from nearest fresh water well * _____ Distance from nearest surface water * _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material * NONE WITHIN 1,000'

SUNDRY RECORDS AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>	2. Name of Operator CIMAREX ENERGY CO. OF COLORADO ATTN: ZENO FARRIS
3. Address of Operator 600 N. MARIENFELD, SUITE 600, MIDLAND, TEXAS 79701	4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>SOUTH</u> line and <u>1650</u> feet from the <u>WEST</u> line Section <u>12</u> Township <u>24S</u> Range <u>36E</u> NMPM County <u>LEA</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3,348' - CF	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

PROPOSED PLUG AND ABANDONMENT PROCEDURE:

The Oil Conservation Division Must be notified
24 hours prior to the beginning of plugging operations.

- 1) SET 7" CIBP @ 2,780'; MIX X PUMP A 25 SX. CMT. PLUG @ 2,780'-2,680'; CIRC. WELL W/ FXA MUD.
- 2) MIX X PUMP A 30 SX. CMT. PLUG @ 2,560'-2,440' (T/ANHY); WOC X TAG CMT. PLUG.
- 3) PERF. X ATTEMPT TO SQZ. A 50 SX. CMT. PLUG @ 1,220'-1,110' (9-5/8" CSG. SHOE); WOC X TAG CMT. PLUG.
- 4) PERF. X ATTEMPT TO CIRCULATE TO SURFACE A 25 SX. CMT. PLUG @ 63'-3'.
- 5) DIG OUT X CUT OFF WELLHEAD 3' B.G.L.; WELD ON STEEL PLATE TO CASINGS X INSTALL DRY HOLE MARKER.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David A. Eyer TITLE AGENT DATE 05/24/11

Type or print name DAVID A. EYLER

E-mail address: deyler@milagro-res.com

Telephone No. (432) 687-3033

For State Use Only

APPROVED BY [Signature] TITLE STATE MGR DATE 5-26-2011
Conditions of Approval, if any.



Spudded 3/4/1949

Original Operator: Skelly Oil Co.

Cimarex Energy Co. of Colorado
J. W. Cooper "A" #3

API 30-025-09552

990 FSL x 1650 FWL (Unit O) Sec 12, T-24-S, R-36-E,

Lea County, NM

GL: 3348' (Csg Flange)

9-5/8" 36#, csg @ 1165'
Cmt w/400 Sx Circulated

TOC Unknown

Ran ????

KB Correction

?

Quantity	Description	Length	Setting Depth
	KB		0.00
	2 3/8" J-55 TBG		0.00
NOTE: No Tubing data in the well file. Tubing may not be present!			

7" 20# @ 2845'

Cmt with 250 sxs. TOC UNKNOWN

6-1/4" OH from 2845 - 3220'

5" 14.7# J-55, AB FL-45 Slotted Liner from 2785' - 3195' w/slots 2880' - 3195'
Run 11/1983

TD: 3220'

J Piwetz 5/13/2011