•	∞; ° .\$ ¢ •			
Submit 3 Copies To Appropriate District Office	State of New Mexico Energy, Minerals and Natural Resources			Form C-103 May 27, 2004
District 1	HOBBS OCD OIL CONSERVATION		WELL API NO. 30-025-24	
District II 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION	DIVISION	5. Indicate Type of L	
District III 1000 Rio Brazos Rd., Aztec, NM 87410	AY 27 20 South St. Fra AY 27 20 Stanta Fe, NM 87	ncis Dr. 7505	STATE	FEE X
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			6. State Oil & Gas Le	ease No.
SUNDRY NOTICES	S AND REPORTS ON WEL	LS	7. Lease Name or Un	it Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			Hodges B	· /
1. Type of Well: Oil Well 🚺 Gas Well 🗌	Other		8. Well Number 6	
2. Name of Operator OXY USA Inc.		na na indina di s	9. OGRID Number 16696	1
3. Address of Operator			10. Pool name or Wil	
P.O. Box 50250 Midland, TX 79710-0250 Justis Blinebry				
Unit Letter <u>N</u> : 6	60 feet from the sou	th line and	1650 feet from t	he <u>west</u> line
Section 1		Range 37E		County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3107' GR				
Pit or Below-grade Tank Application			. <u>iu - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100</u>	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water				
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material				
	propriate Box to Indicate NTION TO: PLUG AND ABANDON [X] CHANGE PLANS 🔲			ORT OF: ALTERING CASING PLUG AND
PULL OR ALTER CASING		CASING TEST AND CEMENT JOB		ABANDONMENT
OTHER:		OTHER:		
 Describe proposed or completed or of starting any proposed work). S or recompletion. 	EE RULE 1103. For Mu ^{1+:} nle	Completions: Attach	n wellbore diagram of pi	roposed completion
· .	T	he Ou -	•	
	24	hours not conservation	· •	* • · ·
		^{as prior} to the H	Division Must	· ·
	See Attack	hment	Division Must be not Deginning of plugging	ified ^{operations}
I hereby certify that the information abo grade tank has been/will be constructed or close				
SIGNATURE	TITI			ATE 5/26 ((
Type or print name David Stewart	E-m	ail address:	david_stewart@oxy.c Telepho	com ne No. 432-685-5717
For State Use Only) / /	(
APPROVED BY	make TIT	LE STAT	DA'	те <u><i>З-<u>3</u>/-20/</i></u>
Conditions of Approval, if any:)			

÷...

TD-6300' PBTD-5125' Perfs-5175-5576' CIBP-5125'

8-5/8" 24# @ 967' w/ 450sx, 12-1/4" hole, TOC-Surf-Circ 5-1/2" 14-15.5# csg @ 6300' w/ 1350sx, 7-7/8" hole, TOC-Surf-Circ

1. RIH & tag CIBP @ 5125' M&P 25sx cmt 🖌

2. M&P 25sx cmt @ 4835-4735' WOC Tag

3. M&P 25sx cmt @ 3155-3055' WDC-Fag

4. M&P 25sx cmt @ 2510-2410'

5. M&P 25sx cmt @ 1017-917' WOC-Tag

6. M&P 25sx cmt @ 300'- Surface 10# MLF between plugs OXY USA Inc. - Current Hodges B #6 API No. 30-025-24961



12-1/4" hole @ 967' 8-5/8" csg @ 967' w/ 450sx-TOC-Surf-Circ



PB-6260'

7-7/8" hole @ 6300' 5-1/2" csg @ 6300' w/ 1350sx-TOC-Surf-Circ

OXY USA Inc. - Proposed Hodges B #6 API No. 30-025-24961

50sx @ 300'-Surface

25sx @ 1017-917' WOC-Tag

25sx @ 2510-2410 WOC-Tags

25sx @ 3155-3055' ₩**50-**---ag

25sx @ 4835-4735' WOC-Tag

25sx @ 5125' 2/11-CIBP @ 5125'

