

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
		1. WELL API NO. 30-025-39973				2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN				
		3. State Oil & Gas Lease No.				5. Lease Name or Unit Agreement Name W.T. MCCOMACK				
		6. Well Number: 32								
WELL COMPLETION OR DECOMPLETION REPORT AND LOG										
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)										
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER DHC										
8. Name of Operator CHEVRON U.S.A. INC.						9. OGRID 4323				
10. Address of Operator 15 SMITH ROAD, MIDLAND, TEXAS 79705						11. Pool name or Wildcat BLINEBRY /TUBB				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	32	21-S	37-E		660	SOUTH	2080	EAST	LEA
BH:										
13. Date Spudded 02-21-11	14. Date T.D. Reached 03-06-11	15. Date Rig Released 03-29-11		16. Date Completed (Ready to Produce) 03-18-11		17. Elevations (DF and RKB, RT, GR, etc) 3462' GR				
18. Total Measured Depth of Well 6310'		19. Plug Back Measured Depth 6275'		20. Was Directional Survey Made? YES		21. Type Electric and Other Logs Run GR/CNL/CBL/CCL				
22. Producing Interval(s), of this completion - Top, Bottom, Name 5740-5990 BLINEBRY, 6138-6239 TUBB										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
8.625		24		1221'		12.25		640 SX		249 SX CIRC
5.5		17		6304'		7.875		1325 SX		185 SX CIRC
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2 7/8"	6264'			
6230-6239, 6213-6222, 6201-6210, 6191-6197, 6170-6178, 6158-6167, 6138-6147 TUBB						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
5982-5990, 5974-5979, 5957-5966, 5919-5924, 5910-5915, 5894-5901, 5870-5876, 5851-5858, 5788-5795, 5773-5780, 5740-5746 BLINEBRY						DEPTH INTERVAL				
						AMOUNT AND KIND MATERIAL USED				
						6138-6239'				
						ACIDIZE W/3000 GALS ACID				
						FRAC W/103,500# FRAC SAND				
						5740-5990'				
						FRAC W/172,164# FRAC SAND				
28. PRODUCTION										
Date First Production 04-01-11		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING				Well Status (Prod. or Shut-in) PROD				
Date of Test 04-10-11	Hours Tested 24 HRS	Choke Size	Prod'n For Test Period	Oil - Bbl 33	Gas - MCF 344	Water - Bbl 63	Gas - Oil Ratio 10424			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD						30. Test Witnessed By				
31. List Attachments SURVEY										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD 1927 1983				
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Denise Pinkerton</i>				Printed Name DENISE PINKERTON Title REGULATORY SPECIALIST Date 05-16-2011						
E-mail Address leakejd@chevron.com										

JUN 07 2011

W. J. McConack #32

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1198	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates 2614	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers 2846	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3347	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3628	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 3965	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5102	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry 5552	T. Gr. Wash	T. Dakota	
T. Tubb 6110	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to..... No. 3, from.....to.....
No. 2, from.....to..... No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology	From	To	Thickness In Feet	Lithology
SUR	1197		SALT				
1198	2613		ANHYDRITE, SALT, DOLOMITE				
2614	2845		DOLOMITE				
2846	3346		ANHYDRITE, DOLOMITE				
3347	3627		DOLOMITE				
3628	3964		DOLOMITE				
3965	5101		LIMESTONE				
5102	5551		DOLOMITE				
5552	6109		DOLOMITE				
6110	TD		DOLOMITE				

James P. Hester