

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised May 08, 2003

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-04080
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name North Monument G/SA Unit Blk 8
8. Well Number 8
9. OGRID Number 000495
10. Pool name or Wildcat Eunice Monument G/SA

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH  
PROPOSALS.)

1. Type of Well:  
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator  
Amerada Hess Corporation

3. Address of Operator  
P.O. Box 840 Seminole, Texas 79360

4. Well Location

Unit Letter H : 1980 feet from the North line and 660 feet from the East line

Section 26 Township 19S Range 36E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐


CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Please see attached wellbore schematic for proposed abandonment procedure.

NEED TO PERF + SQZ. F/350' ON 5<sup>th</sup>



THE COMMISSION MUST BE NOTIFIED 24  
HOURS PRIOR TO THE BEGINNING OF  
PLUGGING OPERATIONS FOR THE C-103  
TO BE APPROVED.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Carol J. Moore TITLE Senior Advisor DATE 3/9/2004

Type or print name Carol J. Moore cmoore@hess.com Telephone No. (432)758-6738

(This space for State use)

APPROVED BY Gay W. Wink OC FIELD REPRESENTATIVE II/STAFF MANAGER

Conditions of approval, if any:

DATE MAR 10 2004

**PROPOSED ABANDONMENT WBD**

COMPLETION SCHEMATIC		LEASE NAME		NMGSAU BLOCK 8		P096700		API # 30-025-04080		WELL NO. 8 (NMGSAU #808)		
<div style="display: flex; flex-direction: column; align-items: center;"><div style="display: flex; align-items: center; margin-bottom: 10px;"><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="text-align: center;">(12)</div></div><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="display: flex; align-items: center; margin-bottom: 10px;"><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="text-align: center;">(10)</div></div><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="display: flex; align-items: center; margin-bottom: 10px;"><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="text-align: center;">(8)</div></div><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="display: flex; align-items: center; margin-bottom: 10px;"><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div><div style="text-align: center;">(6)</div></div><div style="width: 100px; height: 100px; border: 1px solid black; margin: 0 5px;"></div></div>	GL 3645' (EST)	TYPE COMPLETION: <input checked="" type="checkbox"/> SINGLE <input type="checkbox"/> DUAL										
	LOCATION: 660' FEL, 1980' FNL, UL H, Sec 26, Township 19S, 36E, Lea, County New Mexico											
	TD 4004'		PBD 4,004'		KB		DF 3655'					
	COD		DOD		GL 3645' (EST)							
	NO. PROD. WELLS ON LEASE				FLOWING		PUMPING		GAS LIFT			
	HBP BY NMGSAU											
	ZONE TO BE WORKED ON:						CURRENT COMPLETION ZONE:					
	CSG. PERFS:						OPEN HOLE : Shut-In Grayburg					
	CURRENT TEST (SHOW DATE)						3875'-4004'					
	GAS						OIL					
GAS						OIL						
CASING BREAKDOWN												
SURF. 11" hole		SIZE: 8-5/8"		w/ 750 sx. Circ.		DEPTH		1230'				
INTER.		SIZE:				DEPTH						
PROD. 7-7/8" hole		SIZE: 5 1/2" 14#		w/ 600 sx./CTOC 412'		DEPTH		3875'				
WORKOVER HISTORY												
PLUG AND ABANDONMENT PROCEDURE:												
1 PERFORM NECESSARY ROAD AND LOCATION WORK IN ADVANCE OF WORKOVER.												
2 OBTAIN AHC APPROVAL AND NMOCD APPROVAL (C-103) OF PLUGGING PROCEDURE.												
3 NOTIFY NMOCD 24 HOURS PRIOR TO RIGGING UP ON WELL.												
4 MIRU PU. TOH W/ PRODUCTION EQUIPMENT.												
5 PU AND TIH W/ TUBING AND BIT PAST 3925' . TOH.												
6 TIH W/ TUBING OPEN-ENDED. PUMP FRESH WTR SPACER. SPOT 25 SX. CLASS C CMT FROM 3925'-3679' (ACROSS CSG SHOE @ 3875')												
7 SPOT 29 BBLs (1173' X 0.0244 BBL/LF) 25# GELLED BRINE WATER FROM 3679'-2506'.												
8 PUMP FRESH WATER SPACER. SPOT 25 SX. CLASS C CMT FROM 2506'-2265' (ACROSS BASE OF SALT @ 2456').												
9 SPOT 17 BBLs 25# GELLED BRINE WATER FROM 2265'-1573'.												
10 PUMP FRESH WATER SPACER. SPOT 50 SX. CLASS C CMT FROM 1573'-1091' (ACROSS TOP OF SALT @ 1523'/SURF CSG SHOE @ 1230').												
11 SPOT 24 BBLs 25# GELLED BRINE WATER FROM 1091'-96'.												
12 PUMP FRESH WATER SPACER. SPOT 10 SX CLASS C CMT FROM 96'-0'.												
13 CAP AND MARK WITH 4" PIPE EXTENDING 4' ABOVE GROUND (PER RULE 19.15.4.202. SECTION 8, SUBSECTION 2).												
14 WITHIN 1 YEAR, FILL PITS, LEVEL LOCATION, REMOVE DEADMEN AND OTHER JUNK PER NMOCD REQUIREMENTS.												
PREPARED BY: Chad McGehee												
UPDATED: 03/08/04												

8-5/8" w/ 750 sx. Circ.

1230'

5 1/2" 14# w/ 600 sx./CTOC 412'

3875'

4004' TD

OPEN HOLE : 3875'-4004'