

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103

Revised March 25, 1999

WELL API NO.

**30-025-03116**

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name:

**Reeves State "CS"**

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator **Asher Enterprises Ltd. Co.**

8. Well No. **#1**

3. Address of Operator

**P.O. Box 423, Artesia, New Mexico**

9. Pool name or Wildcat

**Reeves Penn**

4. Well Location

Unit Letter **N** : **660** feet from the **South** line and **1,980** feet from the **West** line

Section **14** Township **18-S** Range **35-E** NMPM County **Lea**

10. Elevation (Show whether DR, RKB, RT, GR, etc.)

**3,895' KB**

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐ **THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS FOR THE C-103 TO BE APPROVED.**

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.

Surface casing: 13 3/4" @ 375', cmt circ w/ 375 sx Intermediate casing: 8 5/8" @ 3,810' cmt circ w/ 1,600 sx  
Production csg: 5 1/2" 17# N&K, cmt'd w/ 775 sx 50/50 Poz, TOC est. @ 6,500'  
Open perforations: 7,740 - 7,750'

1. Dig & line earthen work pit, flow well down as needed. MIRU. NU BOP.
2. RIH w/ tbg-set CIBP to 7,640'. Set CIBP and circulate hole w/ mud, pump 25 sx C cmt on CIBP @ 7,640'.
3. Cut and pulled 5 1/2" casing based on stretch measurements, estimated recovery 6,000'.
4. RIH w/ tbg to 50' inside casing stub. Pump 40 sx C cmt w/ 2% CaCl<sub>2</sub>. WOC and tag this plug.
5. RIH w/ tubing and pump 35 sx C cmt 3,300 - 3,200'. **base of salt plug**
6. POOH w/ tubing to 1,935' and pump 35 sx C cmt 1,935 - 1,835'. **top of salt plug**
7. POOH w/ tubing to 425' and pump 35 sx C cmt w/ 2% CaCl<sub>2</sub> 425 - 325'. WOC & TAG **surface casing/shoe plug**
8. Pump 10 sx C cmt 50' to surface. **surface plug**
9. Cut off wellhead and install dryhole marker. Cut off anchors and level location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE engineer DATE 03/08/04

Type or print name James F. Newman, P.E. Triple N Services, Inc. Telephone No. 432-687-1994

(This space for State use)

APPROVED BY  TITLE OC FIELD REPRESENTATIVE II/STAFF MANAGER DATE MAR 28 2004  
Conditions of approval, if any: