The Deviation Surveys listed below were taken on the Southern Petroleum Exploration, Inc. John H. Spearman No. 1 well, 660 feet from the North line and 660 feet from the West line of Section 15, Township 3 North, Range 37 East, Curry County, New Mexico.

1000'	1/2°
1500'	1/2°
1766'	1/2°
2270'	3/4 ⁰
2760'	3/4 ⁰
3481'	1°
3800'	10

Marie Marie

THE STATE OF NEW MEXICO |

THE COUNTY OF CHAVES

Before me, the undersigned, a Notary Public, in and for said County, New Mexico, on this day personally appeared _____, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and consideration therein expressed.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, This 3rd day of August, 1970.

NOTARY PUBLIC in and for

Chaves County, New Mexico

My Commission Expires May 10, 1974

NO. OF COPIES RECEIVED DISTRIBUTION			Form C-103 Supersedes Old C-102 and C-103
SANTA FE	NEW MEXICO OIL CONS	ERVATION COMMISSION	Effective 1-1-65
FILE			5a. Indicate Type of Lease
U.S.G.S.			State Fee 🛣
OPERATOR			5, State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)			
1. OIL X GAS OTHER-		7. Unit Agreement Name None 8. Farm or Lease Name	
2. Name of Operator Southern Petroleum Exploration, Inc.		John H. Spearman	
3. Address of Operator		9. Well No.	
Box 1434, Roswell, New Mexico 88201		10. Field and Pool, or Wildcat	
UNIT LETTER D 660 FEET FROM THE NORTH LINE AND 660 FEET FROM			
THE West Line, SECTION 15 TOWNSHIP 3-N RANGE 37-E NMPM.			
15. Elevation (Show whether DF, RT, GR, etc.)		12. County	
4212 Grd		Curry	
16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
		F	—
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	ALTERING CASING
TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS	COMMENCE DRILLING OPHS. CASING TEST AND CEMENT JQB X	PLUG AND ABANDONMENT
		OTHER	
OTHER			
17. Describe Proposed or Completed Opwork) SEE RULE 1703.	perations (Clearly state all pertinent dete	zils, and give pertinent dates, including	estimated date of starting any proposed
Spud 11:15 A. M. 7/26/70. Ran 491' 8-5/8" 20#, J-55 casing, cemented with			
225 sacks 50-50 Posmix A cement + 2% calcium chloride. Cement circulated.			
Plug down 6:15 P. M. 7/26/70. Waited 12 hours for cement to set. Tested casing with 1000# for 30 minutes, held 0. K.			
casing with 1000*	ior so minutes, herd	U. K.	
			≯
			·
A service of the serv			•
18. I hereby certify that the information	above is true and complete to the best of	of my knowledge and helief	
<u> </u>	•		
SIGNED AS AL	TITLE D	istrict Manager	7-29-70
1,000	1/1/11/2	MANUSOR DISTRICT	DATE JUL 31 1876
APPROVED BY	TITLE		DATE No will be U. A. C.
CONDITIONS OF APPROVAL, IF ANY			

RECEIVED

JUL 3 0 1970
OIL CONSERVATION COMM. HOBBS, N. Ia.