NO. OF COPIES RECEIVED		Form C-103		
DISTRIBUTION	IBUTION			
SANTA FE	NEW MEXICO OIL CONSERVATION COMMISSION	C-102 and C-103 Effective 1-1-65		
FILE				
U.S.G.S.		5a. Indicate Type of Lease		
LAND OFFICE		State 🗶 Fee		
OPERATOR		5. State Oil & Gas Lease No.		
		9943		
SUNDRY	(NOTICES AND REPORTS ON WELLS			
(DO NOT USE THIS FORM FOR PROP USE "APPLICATIO	(NOTICES AND REPORTS ON WELLS osals to drill or to deepen or plug back to a different reservoir. on for permit " (form C-101) for such proposals.)			
1.	7. Unit Agreement Name			
OIL GAS WELL	-			
2. Name of Operator	8. Farm or Lease Name			
Cities Service Oil Co	State AD			
3. Address of Operator	9. Well No.			
P.O. Box 69 - Hobbs, 1	3			
4. Location of Well	10, Field and Pool, or Wildcat			
UNIT LETTER P 3	Nescalero S A			
UNIT SETTER	FEET FROM THE LINE AND FEET			
East	1 TOWNSHIP 105 RANGE 32E N			
THE LINE, SECTION	T TOWNSHIP TOO RANGE JZE N	^{мем.} ())))))))))))))))))))))))))))))))))))		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12. County			
IF. Check A	ppropriate Box To Indicate Nature of Notice, Report or			
NOTICE OF IN		ENT REPORT OF:		
		ENT REFORT OF.		
PERFORM REMEDIAL WORK	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING		
TEMPORARILY ABANDON	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT		
PULL OF ALTER CASING	CHANGE PLANS CASING TEST AND CEMENT JOB			
	OTHER			
OTHER				

work) SEE RULE 1103.

0.T.D. 10,162' Lime & Dolo. PB 4660 well complete, @ OPBTD of 8555'. Well was pumping 3 B0 + 1 BW/24hrs. from Penn. Pulled tbg. set and cemented a Ret. @ 7750 w/100 sacks. Set a 25 sack cement plug @ 6236-6000. Perf. 2 holes @ 4700 and squeezed w/250 sacks cement. Ran temp. survey. Top of cement @ 3655. DO 4660. Perf. w/1-3/8" hole each @ 4100,4105,4109,4119,4124, 4129 and 4135. Acidize w/1000 gals. Max. Press. 3100# min. press. 2400# Rate of 1 B/M. Swabbed 0 B0 + 24 BW/3 hrs. Squeezed Perfs (4100-4135) w/100 sacks cement. DO 4660. Reperf. w/1-3/8" hole each @ 4100,4105,4109,4119,4124,4129 and 4135. Ran 2 3/8" OD tbg. set @ 4133 w/Packer @ 4070. Acidize w/1000 gals. max. press. 6200# min. press. 2100#. Rate of 2.5E/M Swabbed load. Swabbed on potential 53 B0 + 6 BW/12 hrs. GOR TSTM Grav. 15.5. Rated 24 hrs. test of 106 B0 + 12 BW.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.						
SIGNED		District Clerk	DATE	1-14-65		
APPROVED BY	TITLE		DATE			
CONDITIONS OF APPROVAL, IF ANY:				<i>.</i>		