

COUNTY Lea FIELD Wildcat STATE N.M. NO. OWWO
 WC OPR. Crumly, L. D., Jr. MAP
 NO. 1 LSE Crowley
 SEC. 12 T. 11S BLK. 32E SUR.
 LOC. 660' fr S & W Lines of Sec. CO-ORD.
 Re- MI. FROM P&A CLASS. OWWO E 43578
 SPUD 11-21-63 COMP. 12-28-63 FORMATION DATUM
 TRT. FORMATION DATUM
 CSG. & SX.
13 3/8" 299' 255
8 5/8" 3485' 1500
4 1/2" 4508' 145
 TBG. DEPTH SIZE
 LOGS EL GR RA IND HC A
 IP TD 11025' PB
 PROD INT. (DAILY RATE) BS&W GH GOR GTY C. P. T. P. HRS. TEST
PLUGGED & ABANDONED
 Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.
 CONT. DATE PROP. DEPTH 5000' TYPE

F.R. 11-21-63; OWWO, OTD 11025'.
 Orig. Amerada Pet. Corp., P&A 1-18-53.
 PD 5000' - San Andres
 11-26-63 TD 11025', CO to 4537', prep to run casing.
 12-2-63 TD 11025', PB 4508', prep to Plug Back.
 Perf 4317-28', 4358-74' W/2 SPF
 Ac. 1000 gals, swbd dry.
 Re-Ac. 2500 gals, swbd 10 BFPD (2% oil)
 12-9-63 TD 11025', PB 4250', SDO
 Set BP @ 4250'.
 Perf 4064-86' W/2 SPF
 Ac. 1000 gals, swbd dry.
 Re-Ac. 2000 gals, swbd load.
 Swbd 30 BFPD (97% salt wtr & 3% oil, gravity 16.)
 12-16-63 TD 11025', PB 4250', prep to P&A.

12-30-63 TD 11025', PB 4068', prep to P&A.
PB to 4068'.
Perf 3892-3904', 3977-86' W/2 SPF
Ac. 500 gals,
swbd 12 bbls salt wtr, w/tr. of oil in
24 hrs.

1-6-64 TD 11025', PB 4068', prep to P&A.

1-13-64 TD 11025', PB 4068', PLUGGED & ABANDONED.

Verbal to P/A
Dec 24-63

L. D. Crowley Jr

Crowley to 1-A.

12-11-32