

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Viersen &amp; Brown

Robinson

Company or Operator

Well No. 1 in e NW SE of Sec. 14, T. 11 S

R. 32 E, N. M. P. M., Wildcat Field, Lea County.

Well is 3300 feet south of the North line and 1980 feet west of the East line of Sec. 14

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is Zeke Robinson, Address Caprock, N.M.

If Government land the permittee is, Address

The Lessee is R. W. Viersen, Address Okmulgee, Okla.

Drilling commenced October 9, 1935, Drilling was completed February 28, 1936

Name of drilling contractor I.L. Dillard (CAG Oil Co), Address Continental Bldg. Dallas, Texas.

Elevation above sea level at top of casing 4355 feet.

The information given is to be kept confidential until 19

## OIL SANDS OR ZONES

No. 1, from None to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED TO	PURPOSE
12 1/2"	40 1/2	8-11/16"	Nat'l	150'				
9-5/8"	36 1/2	seamless	"	2250'				
7 OD	32 1/2	"	Ygsta	3950'				

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13"	12 1/2"	150'	50	Halliburton		
10"	9-5/8"	2250'	100	"		
8"	7 OD	3950	100	"		

## PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

## RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
None						

Results of shooting or chemical treatment

## RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

## TOOLS USED

Rotary tools were used from 0 feet to 5026' feet, and from feet to feet

Cable toops were used from feet to feet, and from feet to feet

## PRODUCTION

Put to producing, 19

The production of the first 24 hours was barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

## EMPLOYEES

Link, Driller Wilson, Driller

Hendricks, Driller, Driller

## FORMATION RECORD ON OTHER SITES Attached

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 12th

Midland, Texas November 6, 1936

day of November, 1936

Name J. W. Brown

Position Superintendent

Representing Viersen &amp; Brown

My Commission expires April 28-1940

Company or Operator.

Address e/o Nickson Hotel, Roswell, N.M.

