

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in **TRIPPLICATE** to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO ACIDIZE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Tatum, New Mexico

January 2, 1961

(Place)

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the

Amerada Petroleum Corporation **A.M. Lee** Well No. **1** in **I**
(Company or Operator) (Unit)
NE $\frac{1}{4}$ **SE** $\frac{1}{4}$ of Sec. **23**, T. **11-S**, R. **32-E** **NMPM**, **Moore-Devonian** Pool
(40-acre Subdivision)
Lee County.

FULL DETAILS OF PROPOSED PLAN OF WORK

(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

INTENSIONS - Pull Pump & Tubing, Bore Tubing & Packer & Spot 70 Sx. Cement Plug from 10,100' to 10,681', Perforate Sand Zone from 9802'-9811', 9826'-9846', 9850'-9875, 9886'-9892', 9896'-9910' & 9961'-9977' & Acidize With 2000 Gallons 15% Acid & Swab Test. If non-commercial, spot 50 Sx. cement plug from 8650' to 9519'. Perforate Pennsylvanian zone from 8514'-8534' and acidize with 1000 gallons 15% Acid, and swab test. If non-commercial, braden head squeeze perf. from 8514' to 8534' with 100 Sx cement. Perforate Pennsylvanian zone from 8456' - 8468' & 8489' - 8500' and acidize with 1000 gallons 15% acid and swab test. If non-commercial spot a 15 Sx cement plug from 8400'-8534' and perforate Wolfcamp zone from 8215'-8265' and 8299'-8311 and acidize with 2000 gals. 15% Acid and swab test.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....
Title.....

Amerada Petroleum Corporation

By.....
Company or Operator
Position.....
Assistant District Superintendent

Send Communications regarding well to:

Name.....
Amerada Petroleum Corporation
Address.....
Roswell Star Route
Tatum, New Mexico

