

RECEIVED
OCT 27 1953
OIL CONSERVATION COMMISSION
HOBBBS OFFICE

...Depth Cleaned Out.....

ORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 10,678 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing DRY, PLUGGED & ABANDONED:, 19 October 7, 1953.

OIL WELL: The production during the first 24 hours was None barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1110		T. Devonian.		T. Ojo Alamo.
T. Salt.			T. Silurian.		T. Kirtland-Fruitland.
B. Salt.			T. Montoya.		T. Farmington.
T. Yates.	2230		T. Simpson.		T. Pictured Cliffs.
T. 7 Rivers.			T. McKee.		T. Menefee.
T. Queen.			T. Ellenburger.		T. Point Lookout.
T. Grayburg.			T. Gr. Wash.		T. Mancos.
T. San Andres.	3540		T. Granite.		T. Dakota.
T. Glorieta.	4980		T.		T. Morrison.
T. Drinkard.			T.		T. Penn.
T. Tubbs.			T.		T.
T. Abo.	7140		T.		T.
T. Penn.	8455		T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1535	1535	Sand & Red bed	8550	8662	112	Lime
1535	1630	95	Anhydrite & Shale	8662	8707	45	Lime & Shale
1630	2048	418	Red Rock & Anhydrite	8707	9337	630	Lime
2048	3264	1216	Anhydrite & Salt	9337	9359	22	Lime & Shale
3264	3659	395	Anhydrite	9359	9580	121	Lime
3659	3755	96	Lime	9580	9633	53	Lime & Shale
3755	3861	106	Lime & Shale	9633	9916	283	Lime
3861	5114	1253	Lime	9916	9990	74	Lime & Chert
5114	5522	408	Lime & Salt	9990	10073	83	Lime
5522	6988	1466	Lime	10073	10096	23	Lime & Chert
6988	7145	157	Lime & Shale	10096	10350	254	Lime
7145	7795	650	Abo shale	10350	10437	87	Lime & Shale
7795	7880	85	Abo shale & Lime	10437	10487	50	Lime & Black Shale
7880	7901	21	Shale	10487	10578	91	Lime & Shale
7901	8118	217	Lime & Shale	10578	10584	6	Lime & Sand
8118	8144	26	Lime	10584	10601	17	Lime & Chert
8144	8253	139	Dolomite Lime	10601	10622	21	Sand & Lime
8253	8301	48	Lime	10622	10648	26	Sand
8301	8330	29	Lime & Chert	10648	10655	7	Sand & Chert
8330	8550	220	Lime & Shale	10655	10678	23	Lime, Chert & Shale

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

October 26, 1953

(Date)

Company or Operator Magnolia Petroleum Company

Address Box 727, Kermit, Texas

Name E. H. Blundell

Position or Title District Superintendent

E. G. Blundell