

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE.

The Texas Company State of New Mexico "BJ"
(Company or Operator) (Lease)

Well No. 1, in NE $\frac{1}{4}$ of NE $\frac{1}{4}$, of Sec. 26, T. 11-S, R. 32-E, NMPM.
Wildcat Pool, Lea County.

Well is 660 feet from North line and 660 feet from East line
of Section 26. If State Land the Oil and Gas Lease No. is B-9502.

Drilling Commenced 2-8, 1952. Drilling was Completed 9-3, 1952.

Name of Drilling Contractor Keating Drilling Company

Address National Bank of Tulsa Building, Tulsa 3, Oklahoma

Elevation above sea level at Top of Tubing Head 4333. The information given is to be kept confidential until
_____, 19_____.

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13-3/8	48#	New	341	HOWCO			
8-5/8	32#	New	3502	HOWCO			
5-1/2	17#	New	10313	HOWCO		9736 - 9840	Production

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17-1/2	13-3/8	353	375	HOWCO		
11	8-5/8	3510	2300	HOWCO		
7-7/8	5-1/2	10325	350	HOWCO		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

This well was drilled to a total depth of 10,807' and plugged back to a depth of 9,890'. Perforated casing from 10,135' to 10,158' with 4 shots per foot. Swabbed 3 hrs, no shows. Washed perforations with 500 gallons of mud acid. Swabbed acid residue and load water to pits for 14 hrs. ~~Record of Production~~ Hydrafraced through perforations with 1500 gallons. Swabbed 40 bbls. of oil load in 7 hours. After setting budging plug at 10,130' with 1 sack of calseal on plug, casing Depth Cleaned Out. 9890
(Cont'd on attached page)

RECORD OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1175		T. Devonian.	10802	
T. Salt.			T. Stewart 9715 Bend		
B. Salt.			T. Montoya.		
T. Yates.	1100		T. Simpson.		
T. 7 Rivers.			T. McKee.		
T. Queen.			T. Ellenburger.		
T. Grayburg.			T. Gr. Wash.		
T. San Andres.	1650		T. Granite.		
T. Glorieta.	1770		T.		
T. Drinkard.			T.		
T. Tubbs.	1880		T.		
T. Abo.	1910		T.		
T. Penn.	1977		T.		
T. Miss.			T.		

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
1175	1180	5	Shale				
1180	1185	5	Shale				
1185	1190	5	Shale				
1190	1195	5	Shale				
1195	1200	5	Shale				
1200	1205	5	Shale				
1205	1210	5	Shale				
1210	1215	5	Shale				
1215	1220	5	Shale				
1220	1225	5	Shale				
1225	1230	5	Shale				
1230	1235	5	Shale				
1235	1240	5	Shale				
1240	1245	5	Shale				
1245	1250	5	Shale				
1250	1255	5	Shale				
1255	1260	5	Shale				
1260	1265	5	Shale				
1265	1270	5	Shale				
1270	1275	5	Shale				
1275	1280	5	Shale				
1280	1285	5	Shale				
1285	1290	5	Shale				
1290	1295	5	Shale				
1295	1300	5	Shale				
1300	1305	5	Shale				
1305	1310	5	Shale				
1310	1315	5	Shale				
1315	1320	5	Shale				
1320	1325	5	Shale				
1325	1330	5	Shale				
1330	1335	5	Shale				
1335	1340	5	Shale				
1340	1345	5	Shale				
1345	1350	5	Shale				
1350	1355	5	Shale				
1355	1360	5	Shale				
1360	1365	5	Shale				
1365	1370	5	Shale				
1370	1375	5	Shale				
1375	1380	5	Shale				
1380	1385	5	Shale				
1385	1390	5	Shale				
1390	1395	5	Shale				
1395	1400	5	Shale				
1400	1405	5	Shale				
1405	1410	5	Shale				
1410	1415	5	Shale				
1415	1420	5	Shale				
1420	1425	5	Shale				
1425	1430	5	Shale				
1430	1435	5	Shale				
1435	1440	5	Shale				
1440	1445	5	Shale				
1445	1450	5	Shale				
1450	1455	5	Shale				
1455	1460	5	Shale				
1460	1465	5	Shale				
1465	1470	5	Shale				
1470	1475	5	Shale				
1475	1480	5	Shale				
1480	1485	5	Shale				
1485	1490	5	Shale				
1490	1495	5	Shale				
1495	1500	5	Shale				
1500	1505	5	Shale				
1505	1510	5	Shale				
1510	1515	5	Shale				
1515	1520	5	Shale				
1520	1525	5	Shale				
1525	1530	5	Shale				
1530	1535	5	Shale				
1535	1540	5	Shale				
1540	1545	5	Shale				
1545	1550	5	Shale				
1550	1555	5	Shale				
1555	1560	5	Shale				
1560	1565	5	Shale				
1565	1570	5	Shale				
1570	1575	5	Shale				
1575	1580	5	Shale				
1580	1585	5	Shale				
1585	1590	5	Shale				
1590	1595	5	Shale				
1595	1600	5	Shale				
1600	1605	5	Shale				
1605	1610	5	Shale				
1610	1615	5	Shale				
1615	1620	5	Shale				
1620	1625	5	Shale				
1625	1630	5	Shale				
1630	1635	5	Shale				
1635	1640	5	Shale				
1640	1645	5	Shale				
1645	1650	5	Shale				
1650	1655	5	Shale				
1655	1660	5	Shale				
1660	1665	5	Shale				
1665	1670	5	Shale				
1670	1675	5	Shale				
1675	1680	5	Shale				
1680	1685	5	Shale				
1685	1690	5	Shale				
1690	1695	5	Shale				
1695	1700	5	Shale				
1700	1705	5	Shale				
1705	1710	5	Shale				
1710	1715	5	Shale				
1715	1720	5	Shale				
1720	1725	5	Shale				
1725	1730	5	Shale				
1730	1735	5	Shale				
1735	1740	5	Shale				
1740	1745	5	Shale				
1745	1750	5	Shale				
1750	1755	5	Shale				
1755	1760	5	Shale				
1760	1765	5	Shale				
1765	1770	5	Shale				
1770	1775	5	Shale				
1775	1780	5	Shale				
1780	1785	5	Shale				
1785	1790	5	Shale				
1790	1795	5	Shale				
1795	1800	5	Shale				
1800	1805	5	Shale				
1805	1810	5	Shale				
1810	1815	5	Shale				
1815	1820	5	Shale				
1820	1825	5	Shale				
1825	1830	5	Shale				
1830	1835	5	Shale				
1835	1840	5	Shale				
1840	1845	5	Shale				
1845	1850	5	Shale				
1850	1855	5	Shale				
1855	1860	5	Shale				
1860	1865	5	Shale				
1865	1870	5	Shale				
1870	1875	5	Shale				
1875	1880	5	Shale				
1880	1885	5	Shale				
1885	1890	5	Shale				
1890	1895	5	Shale				
1895	1900	5	Shale				
1900	1905	5	Shale				
1905	1910	5	Shale				
1910	1915	5	Shale				
1915	1920	5	Shale				
1920	1925	5	Shale				
1925	1930	5	Shale				
1930	1935	5	Shale				
1935	1940	5	Shale				
1940	1945	5	Shale				
1945	1950	5	Shale				
1950	1955	5	Shale				
1955	1960	5	Shale				
1960	1965	5	Shale				
1965	1970	5	Shale				
1970	1975	5	Shale				
1975	1980	5	Shale				
1980	1985	5	Shale				
1985	1990	5	Shale				
1990	1995	5	Shale				
1995	2000	5	Shale				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator
Name

Address
Position or Title