


OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS



HOBBS OFFICE

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below.

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF SHOOTING OR CHEMICAL TREATMENT OF WELL		REPORT ON PULLING OR OTHERWISE ALTERING CASING	
REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON DEEPENING WELL	
REPORT ON RESULT OF PLUGGING OF WELL	<input checked="" type="checkbox"/>		

Oct. 23, 1946

Hobbs, N.M.

Date

Place

OIL CONSERVATION COMMISSION,
SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the _____

Olsen-Blount Drilling Corp.**Caprock State**Well No. **1**

in the _____

Company or Operator

Lease

SE-SEof Sec. **29**T. **11S**R. **32E**

N. M. P. M.,

WildcatField, **Lea**

County.

The dates of this work were as follows: **Nov. 30, 1945**

Notice of intention to do the work was (was not) submitted on Form C-102 on _____ 19____

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Well was drilled to a total depth of 5115 feet, and 5½" casing set at 4170'. The well was found to be dry and was plugged in the following manner: 25 sacks of cement was pumped to bottom through tubing, then mud was pumped on top of cement to 950', the 5½" casing was then shot off at 913' and pulled out, then hole was filled with mud and a cement cap was put on top with a 4 inch pipe marker set in the cement.

Witnessed by **A. H. Adams****Olsen-Blount Drilling Corp. Toolpusher**

Name

Company

Title

Subscribed and sworn before me this _____

I hereby swear or affirm that the information given above is true and correct. **to the best of my knowledge.****24th** day of **Oct.**, 19**46**Name **A. J. Evans**Position **Production Supt.**Representing **Olsen-Blount Drilling Corp.**

Company or Operator

My commission expires **Oct. 24, 1949**Address **2811 Apco Tower**
Oklahoma City, Okla.

Remarks:

Roy Yarborough
Name _____

Oil & Gas Inspector, Title

RECEIVED
DEC 20 1946
Date _____