

DUPLICATE


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in **TRIPLICATE** to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF	X	REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL		REPORT ON RECOMPLETION OPERATION		REPORT ON Directional (Other) drilling of hole	X



July 14, 1953

(Date)

Midland, Texas

(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Los Nietos Company

(Company or Operator)

State Gross

(Lease)

Zephyr Drilling Corporation

(Contractor)

Well No. **2** in the **S W 1/4 NE 1/4** of Sec. **2**

T. **12 S**, R. **32 E**, NMPM., **East Caprock** Pool, **Lea** County.

The Dates of this work were as follows: **April 10, 1953 through July 5, 1953**

Notice of intention to do the work (was) (~~XXXX~~) submitted on Form C-102 on **April 13**, 19 **53**

(Cross out incorrect words)

and approval of the proposed plan (was) (~~XXXX~~) obtained.

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Ran HOMCO multi-shot directional survey from 3610 to 11,248'. Found bottom of hole off 99.55' N 70° 44' E. with true vertical depth @ 11,245.35'.

Ran d.p. open ended and plugged open hole 9469-9762 w/75 sx. reg. cnt. w/7 sx. Ottawa sand and 2 sx. calcium chloride added. Set whipstock @ 9679' w/face of whipstock set @ 51° E.

Continued drilling 7-7/8" hole to 11,290'. Hole off 19 1/2°, S 35° E. True vertical depth was 11,259.06'. Final coordinates were south 228.17' and east 168.45', or a closure of 283.58', S 36° 27' E.

Cnt. 5 1/2" csg. @ 11,289' w/200 sx. 4% gal cnt. and 200 cu. ft. strata-crete added. W.O.C. 24 hr. Tested csg. w/1500# for 30 min. O.K.

Witnessed by **R. W. Yarbrough**
(Name)

Los Nietos Company
(Company)

District Engineer
(Title)

Approved:

OIL CONSERVATION COMMISSION

Roy Yarbrough
(Name)

Oil & Gas Inspector

(Title)

JUL 17 1953

(Date)

I hereby certify that the information given above is true and complete to the best of my knowledge.

Name **James E. Poy**

Position **Assistant Division Engineer**

Representing **Los Nietos Company**

Address **Midland, Texas**

1st of January 1951