

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-00164
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-3920
7. Lease Name or Unit Agreement Name Cleveland
8. Well No. 1-23
9. Pool name or Wildcat East Caprock Devonian
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4342' DF

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☒ GAS WELL ☐ OTHER ☐ APR 24 1989

2. Name of Operator
WAGNER & BROWN OIL CONSERVATION DIV.
SANTA FE

3. Address of Operator
P.O. Box 1714, Midland, TX 79702

4. Well Location
Unit Letter G : 1650 Feet From The North Line and 2310 Feet From The East Line
Section 23 Township 12S Range 32E NMPM Lea County

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) Set CIBP @ approx. 9000' w/ 35 sx Class "H" on top
- 2) Displace hole w/ 10 ppg mud and spot cmt plugs:
6400' 25 sx
5050' 25 sx
4350' 35 sx
- 3) Cut 5-1/2" csg @ 3700' and POOH. Spot cmt plug 3700'-3600' w/ 50 sx and tag.
- 4) Spot cmt plug in 8-5/8" csg 1100'-1000' w/ 35 sx.
- 5) Spot cmt plug in 8-5/8" csg from 375'-275' w/ 35 sx and tag.
- 6) Spot 10 sx plug @ surface, weld on plate and install dryhole marker.

Plugging operations to begin upon approval from Commission.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Drew Diggins TITLE Petroleum Engineer DATE 4/13/89
TYPE OR PRINT NAME Drew Diggins TELEPHONE NO. (915) 686-59

(This space for State Use)
APPROVED BY Paul Kautz DATE APR 28 1989
CONDITIONS OF APPROVAL, IF ANY: