

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, on the proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

The Texas Company

State of New Mexico "BL"

Well No. 1 Company or Operator SW & SE 1 of Sec. 28 Lease T. 12-S
R. 32-E, N. M. P. M. Wildcat Field, Lea County.
Well is 660 feet north south of the North line and 1980 feet west of the East line of Sec. 28
If State land the oil and gas lease is No. B-9637 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is The Texas Company Address Houston, Texas
Drilling commenced April 18 1952 Drilling was completed May 19 1952
Name of drilling contractor Mc Vay & Stafford Drlg. Co. Address Tulsa 3, Oklahoma
Elevation above sea level at top of casing 4365 feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. _____
No. 2, from _____ to _____ feet. _____
No. 3, from _____ to _____ feet. _____
No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM	TO	PURPOSE
13 3/8	48#	8R	SMLS	329	Howco				
8 5/8	32#	8R	SMLS	3679	Howco				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13-3/8	345	350	Howco		
11	8-5/8	3690	2300	Howco		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 9490 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing Dry 19____
The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Jim Mc Vay Driller Guy Marken Driller
H. D. Wilson Driller T. C. Bennett Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Midland, Texas June 25, 1952
Place DateName J. H. GreenPosition District SuperintendentRepresenting The Texas Company
Company or Operator.Address Box 1270, Midland, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	98	98	Caliche
98	1490	1392	Red Bed
1490	1795	305	Red Bed & Shells
1795	2115	320	Red Bed & Anhy
2115	2542	427	Salt & Anhy & Shells
2542	2706	164	Anhy
2706	3000	294	Anhy & Salt Streaks
3000	3186	186	Anhy
3186	3270	84	Anhy, Red Bed & Salt streaks
3270	3464	194	Anhy & Salt
3464	3640	176	Anhy
3640	9490	5850	Lime
	9490		Total Depth

All measurements from rotary table or 11' above ground.

Drill Log:

Log 1: 8500-8650 Tool open 1 hour. Recovered 37' drilling mud. No shows

Log 2: 9010-9120 Tool open 1 hour. Recovered 50' drilling mud.

Core Log:

Core 1: 3000-3050 Recovered 50 feet.

Core 2: 3050-3100 Recovered 41.3 feet.

Plugging Record

Spotted the following cement plugs:

45 sacks 7490 - 3464

30 sacks 8605 - 7505

30 sacks 7345 - 7245

30 sacks 6535 - 6435

30 sacks 5095 - 4995

30 sacks 3745 - 3645

15 sacks in top of casing

Heavy mud was used between each plug.