

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instruction in Rules and Regulations of the Commission.

Lubbock, Texas

3-13-44

Place

Date

OIL CONSERVATION COMMISSION.  
Santa Fe, New Mexico.

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as F# 1  
George P. Livermore, Inc., State "F" Well No. 1 in \_\_\_\_\_  
Company or Operator Lease

of Sec. 30, T 12 S, R 32 E, N. M. P. M., Wildcat Field, Lea County  
N.


The well is 990 feet (N.) ~~1800~~ of the South line and 2310 feet  
(E.) ~~1800~~ of the West line of Sec. 30, T 12 S, R 32 E.  
(Give location from section or other legal subdivision lines. Cross out wrong directions)

If state land the oil and gas lease is No. B-399. Assignment No. \_\_\_\_\_

If patented land the owner is \_\_\_\_\_

Address \_\_\_\_\_

If government land the permittee is \_\_\_\_\_

Address \_\_\_\_\_

The lessee is George P. Livermore, Inc.

Address 816 Lubbock National Building, Lubbock, Texas

AREA 640 ACRES  
LOCATE WELL CORRECTLY  
We propose to drill well with drilling equipment as follows: Rotary to  
approximately 3000'. Cable Tools to Total Depth.

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: \_\_\_\_\_

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
10-3/4"	8-5/8"	30#	New	250'	Cemented	150
7-7/8"	5-1/2"	14#	New	3000'	Cemented	300

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil and gas sand should occur at a depth of about 3010 feet.

Additional information:

We intend to run temperature survey after cementing long string of casing to determine whether or not 300 sacks (150% of theoretical amount necessary to cover salt section) fills hole the desired amount.

Approved MAR 13 1944, 19\_\_\_\_

Sincerely yours,

except as follows:

GEORGE P. LIVERMORE, INC.

APPROVAL OF MINERAL RIGHTS  
COMPLETION AND  
CLOSURE

Company or Operator

By

Position Engineer

Send communications regarding well to

Name George P. Livermore, Inc.

Address 816 Lubbock National Building,  
Lubbock, Texas

OIL CONSERVATION COMMISSION

By [Signature]

Title [Signature]

