NEW MEXICO OIL CONSERVATION COMMISSION Santa Fc, New Mexico

102 UN 23 PM 2: 53 WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 840 ACRES LOCATE WELL CORRECTLY

TENDIECO CORPORATION BY 1 (Company or C	TE MANAGING AG	TENNECO OI	I. COMPANY	(Less)	0 <u>a.</u> 14 <u>303</u>
Well No 1		¼, of Sec35	, T 10-	, R33 ~2	, NMPM.
Undesignated					
Well is	m North	line and1	840	feet from	line
of Section					
Drilling Commenced		19.52 Drilling wa	a Completed	me 18,	, 19 62
Name of Drilling Contractor	stus Drilling	Corporation of	Texas		
Address	0. Box 32, Mid	land, Texas			
Elevation above sea level at Top of Tu	bing Head	196	The informa	tion given is to be kept	confidential until

OIL SANDS OR ZONES

No.	1,	from	to9691	No.	4	t, fromto
No.	2,	from	to	No.	5	i, fromto
No.	3,	from	to	No.	6	5, fromtoto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1	, from	.tofeet.	
No. 2	, from	tofeet.	
No. 3	, from	.tofeet.	
No. 4	, from	.tofeet.	

CASING RECORD							
	WEIGHT PEB FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PUILED FROM	PERFORATIONS	PURPOSE
13 3/8"	484	Nev	371'	Guide	+		Surface String
<u>8 5/8"</u>	324 & 244	Key	39941	Ouide			Intermediate String
h 1/2"		64 Mary	97861	Guide		9663-9667	Oil String
						1	1

MUDDING AND CEMENTING RECORD							
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED	
17 1/0	12 2/8	3711	400	Pump & Plug	Presh lister		
$\frac{1}{12} \frac{1/4}{4}$	8 5/8	1004	350	Pump & Plug	Fresh Water		
7 7/8"	4 2/2	9786'	200	Pump & Plug	9.7		
_ / _					1		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

.....

Acidized perfs. 9663-9667 w/500gals mud acid.

.....Depth Cleaned Out.....

LECORD OF DRILL-STEM AND SPECIAL TS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

				TOOLS 1	USED		
Rota	ary tools were used f	rom.	feet to	9788	feet, and from		feet to
Cabl	le tools were used fro	o m	feet to		feet, and from		feet tofeet.
				PRODUC			
Put	to Producing	ine 25,					
			24 hours	was	2barrels	of li	quid of which
							•1% was sediment. A.P.I.
							1
GAS	WELL: The proc	duction during the first 2	24 hours	was	M.C.F. plus		barrels of
	liquid Hy	ydrocarbon. Shut in Pres	surc	lbs.			
Len	gth of Time Shut in						i I
I	PLEASE INDICAT	TE BELOW FORMAT	ION TO	OPS (IN CONF	ORMANCE WITH GI	2 0 G)	RAPHICAL SECTION OF STATE):
		Southeastern N			-		Northwestern New Mexico
Т	Anhy	·	т. І	Devonian		Т.	Ojo Alamo
Т. 1	Salt						Kirtland-Fruitland
B .	Salt						Farmington
Т. Т	Yates. 2620				·····		Pictured Cliffs
T . (7 Rivers						
Т. с	Queen					т.	Point Lookout
Т. С	Grayburg					т.	Mandos
т. s	San Andres. 389	0				т.	
Т. (Glorieta 532	5				т.	
	Tubbs. 677.	3				Т. Т	Penn

FORMATION RECORD

Т.

Т.

Т.

Т.

Т.

Т.

Т.

......

7618

8820

T. Miss.....

Т.

Wei fe

TRA Т.

From	To	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 11 2620 3890 7618 8820	11 2620 3 8 90 7618 8820 9788	11 2609 1270 3728 1202 968	KB to GL Ned Beds,Salt & Anhydrite Sd., Sh. & Lm. Im & Dolo v/Sh stringers Interbedded Im & Sh. Im w/Sh stringers				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

	June 26, 1962
Company or Operator. Tenneco 011 Company	Address Box 307, Hobbs, New Maxico