

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in **TRIPPLICATE** to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

1201 V & J Tower Building
Midland, Texas

(Place)

August 21, 1961

(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the **State NM**

Texas Grade Oil Company & Mollister Fuel Company
(Company or Operator)

Well No. **1-16**

in **N**
(Unit)

SE $\frac{1}{4}$ **SW** $\frac{1}{4}$ of Sec. **16**, T. **11-S**, R. **33-E**, NMPM., Bagley Pennsylvania, North Pool

(40-acre Subdivision)

Lee County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

This well is currently producing from casing perforations 10,700-10,709' and 10,744-10,770' and 7" casing is set at 11,204'. A salt string of 9-5/8" casing was set at 10,19' and cement circulated to the surface.

We propose to plug this well in the following manner:

1. Place 50 cu cement plug 10,600-10,853'
2. Place 50 cu cement plug 9,750-10,000'
3. Shoot 7" casing off at 7345' (top cement) and pull
4. Place 50 cu cement plug 3900-3775'
5. Place 10 cu cement plug in top of surface
6. Zone between plugs will be filled with 10% brine water.

+ D. L. Howard

A steel marker will be installed and the location cleaned according to OGC Regulations.

Approved....., 19.....
Except as follows:

** 25 cc @ Twp 7' Titub*

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

Texas Grade Oil Company & Mollister Fuel Company
Company or Operator

By *D. L. Howard*

Position **Division Superintendent**

Send Communications regarding well to:

Name **Texas Grade Oil Company**

Address **1201 V & J Tower, Midland, Texas**

1. "The first of the three main parts of the book is devoted to a study of the history of the theory of the structure of the atom."

2. "The second part is devoted to a study of the theory of the structure of the atom."

3. "The third part is devoted to a study of the theory of the structure of the atom."

4. "The fourth part is devoted to a study of the theory of the structure of the atom."

5. "The fifth part is devoted to a study of the theory of the structure of the atom."

6. "The sixth part is devoted to a study of the theory of the structure of the atom."

7. "The seventh part is devoted to a study of the theory of the structure of the atom."

8. "The eighth part is devoted to a study of the theory of the structure of the atom."

9. "The ninth part is devoted to a study of the theory of the structure of the atom."

10. "The tenth part is devoted to a study of the theory of the structure of the atom."