## NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103 (Attachment)

12-10-70	Acidized Devonian open hole (11,055 to 11,127') w/ 1,000 g. 28% acid.
	Pressure increased from 1,900# to 2,300# while injecting 105 barrels
	of water @ 3 B/M.
12-11-70	Set wire line bridge plug @ 10, 108' and abandon SWD in Devonian.
	Perforated 5 1/2" 17# csg. as follows: 9,534, 36, 38, 40, 64, 68, 70, 72, 74;
	9, 648, 50, 52, 54.
12-12-70	
to	
12-13-70	Changing out bad tubing.
12-14-70	Acidised perforations (9, 534' to 9, 654') w/ 3, 750 g. 15% DS-30 acid.
12-15-70	
to	
12-18-70	Swabbing and flowing well to test tank (good show of oil)
12-19-70	Acidized perforations (9, 534' to 9, 574') w/ 2, 500 g. 20% + 2, 500 g. 3% acid.
12-20-70	
to	
12-24-70	Swabbing and flowing well to test tank. Prep. to install pump.

## $\mathcal{A}_{\mathcal{A}} = \{ (x,y) \in \mathcal{A}_{\mathcal{A}} : | (x,y) \in \mathcal{A}_{\mathcal{A}} \}$

· ...

en de la composition La composition de la La composition de la

Andrew State (1995) in the state of the stat

なられた。 より History and Company and Comp History and Company and Co

- Participal Company (1997年) - Participal C

en la companya de la la companya de la co

the company of the co

5 - 2 - 3 - 2