

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATION	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Free <input type="checkbox"/>
5. State Oil & Gas Lease No.	
E-1347	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE APPLICATION FOR PERMIT TO DRILL (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER	Salt Water Disposal	7. Unit Agreement Name	
2. Name of Operator	Amerada Hess Corporation	8. Form or Lease Name	Bagley S.W.D.
3. Address of Operator	Drawer "D", Monument, New Mexico 88265	9. Well No.	4
4. Location of well	N 660 South 1980	10. Field and Pool, or Wildcat	Bagley
UNIT LETTER _____ FEET FROM THE _____ LINE AND _____ FEET FROM _____			
THE West LINE, SECTION 35 TOWNSHIP 11-S RANGE 33-E NMPM.			
15. Elevation (Show whether DF, RT, GR, etc.)		12. County	Lea
4252' DF			

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>		COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	
OTHER <input type="checkbox"/>		OTHER <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1173.

2-28-81 to 4-8-81

Fished & recovered parted 4-1/2" ICP tbq. Ran csg. caliper log & set retrievable bridge plug in 7-5/8" csg. at 7810' & tested OK. Perf. 7-5/8" csg. at 3958' w/ two shots. Set pkr. at 1710' & attempted to circ. out 10-3/4" csg. No results. Re-set pkr. at 3948', acidized & circ. OK. Cement 7-5/8" csg. w/850 sks. cement & circ. out 10-3/4" csg. Drld. out cement & tested 7-5/8" csg. w/1000# press. Held OK. Recovered retrievable bridge plug. Set drillable bridge plug in 7-5/8" csg. at 10,864' & capped w/sand. Ran & set 258 jts. 5-1/2" csg. inside 7-5/8" csg. at 10,816' & cement w/550 sks. cement, WOC & drld. out cement & tested w/ 1000#. Held OK. Drld. bridge plug at 10,864' & pushed to 11,038' in open hole. Unable to go deeper. Acidized open hole w/4000 gal. 20% KCl acid. Well on vacuum. Ran pkr. & 376 jts. 3-1/2" IPC tbq. & set pkr. at 10,675'. Loaded annulus w/pkr. fluid, connected disposal lines & resumed disposing water at rate of 425 BPH.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED E.B. Fisher TITLE Supv. Adm. Ser. DATE October 30, 1981

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE NOV 2 1981

CONDITIONS OF APPROVAL, IF ANY: