

DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-10.
Revised 10

5a. Indicate Type of Lease
State ☒ Fee ☐
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <u>Amerada Hess Corporation</u>	8. Farm or Lease Name <u>State BT "D"</u>
3. Address of Operator <u>Drawer D, Monument, New Mexico 88265</u>	9. Well No. <u>3</u>
4. Location of Well UNIT LETTER <u>P</u> <u>660</u> FEET FROM THE <u>South</u> LINE AND <u>660</u> FEET FROM THE <u>East</u> LINE, SECTION <u>35</u> TOWNSHIP <u>11-S</u> RANGE <u>33-E</u> NMPM.	10. Field and Pool, or Wildcat <u>Bagley</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>4247' DF</u>	12. County <u>Lea</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☐
CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOBS ☐
OTHER Plug back & test ☒

ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

December 1979 to January 1980

Set CI bridge plug in 5-1/2" csg. at 10,725', perf. 5-1/2" csg. Opposite Mississippian zone fr. 10,634' to 10,658' w/2 SPF. Ran pkr. & tbg. & set pkr. at 10,467'. Broke down formation w/4250# press. Swabbed water. Set CI bridge plug in 5-1/2" csg. at 10,300' & dumped 35' of cement on top of bridge plug. Perf. 5-1/2" csg. opposite Strawn zone fr. 9638' to 10,134' w/total of 222 shots. Ran pkr. & tbg. & set pkr. at 8595'. Broke down formation w/2600# press. Acidized w/7200 gal. 15% NE acid using ball sealers. Swabbed. Recovered 2 b.o. & acid water load.

18. I hereby certify that the information above is true and complete to the

best of my knowledge and belief.

SIGNED E. H. Fisher

TITLE Supv. Adm. Ser.

DATE 1-15-80

Orig. Signed by
John Runyan

APPROVED BY Geologist

TITLE

DATE

JAN 17 1980

CONDITIONS OF APPROVAL, IF ANY:

(Handwritten) M