

DATE	
TIME	
FILE	
RECORD	
REMARKS	

1. Indicate Type of Lease  
State ☒ Fee ☐

2. State Oil & Gas Lease No.

SUNDY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.  
USE APPLICATION FOR PERMIT - M (FORM C-101) FOR SUCH PROPOSALS.

1. CIL <input type="checkbox"/> WELL <input type="checkbox"/> GAS <input type="checkbox"/> WELL <input type="checkbox"/> OTHER- <u>SWD</u>	7. Unit Agreement Name
2. Name of Operator <u>Amerada Hess Corporation</u>	8. Farm or Lease Name <u>Bagley S.W.D.</u>
3. Address of Operator <u>Drawer D, Monument, New Mexico 88265</u>	9. Well No. <u>1</u>
4. Location of Well UNIT LETTER <u>N</u> <u>1980</u> FEET FROM THE <u>West</u> LINE AND <u>560</u> FEET FROM THE <u>South</u> LINE, SECTION <u>2</u> TOWNSHIP <u>12-S</u> RANGE <u>33-E</u> NMPM.	10. Field and Pool, or Wildcat <u>Bagley Penn.</u>
15. Elevation (Show whether DF, RT, GR, etc.) <u>4250' DF</u>	12. County <u>Lea</u>

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

December 5 through December 19, 1979

Pulled & laid down 3-1/2" IPC tbq., picked up & ran 4-5/8" bit on 2-3/8" tbq. to 1419'. Pulled tbq. & bit & ran cement retainer on tbq. & set retainer in 5-1/2" csg. at 6427'. Squeezed Penn. zone through 5-1/2" csg. perf. fr. 9100' to 9230' w/400 sks. Class H neat cement. Top of cement at 6377'. Loaded hole w/150 bbls. 10# brine mixed w/25# gelled mud per bbl. Removed well head, installed csg. jacks & jacked 140,000# strain on 5-1/2" csg. & csg. pulled out of csg. cplg. at 3677'. Pulled & laid down 116 jts. 5-1/2" csg. Ran tbq. & loaded hole w/mud. Spotted 70 sk. plug of Class H cement fr. 3882' to 3585'. Spotted 30 sks. plug of Class H cement fr. 1840' to 1733'. Pulled tbq. & spotted 10 sk. cement plug at surface, installed dry hole marker, cleaned & leveled location. P&A.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED EB Fisher TITLE Supv. Adm. Ser. DATE 12-20-79

APPROVED BY GA Statten TITLE OIL & GAS INSPECTOR DATE JUL 24 1980

CONDITIONS OF APPROVAL, IF ANY: