



(SUBMIT IN TRIPLICATE)

 UNITED STATES
 DEPARTMENT OF THE INTERIOR
 GEOLOGICAL SURVEY

 Land Office anta 18
 Lease No. LC 070738
 Unit Federal #1

RECEIVED SEP 21 AM 9:55

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

September 18, 1956

Well No. 1 is located 660 ft. from N line and 330 ft. from W line of sec. _____
33 Section 31
 (1/4 Sec. and Sec. No.)

9 North 34 East
 (Twp.) (Range)

N.P.M.
 (Meridian)

State
 (Field)

Los County
 (County or Subdivision)

New Mexico
 (State or Territory)
The elevation of the derrick floor above sea level is 4275.4 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 12 1/4" hole to 3990 ft

 9-15-56--- set 9 5/8 OD 40 & 36 J 55 csg at 3990 ft. Cemented with
 Halliburton single pump method with 1700 xps cement 45' followed by
 200 xps cement neat. Used Baker float collar and guide shoe and 3 cent
 on bottom. Cement circulated.

 9-17-56--- tested csg with 1000' for 30 min with no pressure drop--- cement
 job OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company J. T. LyonsAddress Box 548Corvaton, New Mexico

By

Title

E. R. Fife
Geologist

