

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator Tenneco Oil Company		8. Farm or Lease Name Bettenbough
3. Address of Operator Box 1031, Midland, Texas 79701		9. Well No. 2
4. Location of Well UNIT LETTER <u>N</u> <u>330</u> FEET FROM THE <u>South</u> LINE AND <u>2310</u> FEET FROM THE <u>West</u> LINE, SECTION <u>11</u> TOWNSHIP <u>9-S</u> RANGE <u>35-E</u> NMPM.		10. Field and Pool, or Wildcat Bough (Permo Penn)
15. Elevation (Show whether DF, RT, GR, etc.) 4149 DF		12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>
		Re-entry & establish production in Bough "C" zone	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1703.

10-15-69

- Cleaned out old hole of cement plugs etc. to 9758'.
- Re-squeezed old San Andres perforations 4778-4877 with 145 sx Class "C" cement in two stages to max pressure at 4300 psi
- Tested all casing and perforations to 1500 psi 30 min. O.K.
- Acidized Bough "C" perforations 4749-54 w/1000 gal 15% Hcl.
- Swab back all load and acid water.
- Installed hydraulic pumping equipment and put on production 11-1-69.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>L. M. Williams</u>	TITLE <u>Production Engineer</u>	DATE <u>11-7-69</u>
APPROVED BY <u>[Signature]</u>	TITLE <u>DISTRICT</u>	DATE <u>11-10-1969</u>
CONDITIONS OF APPROVAL, IF ANY:		