

OWWO

COUNTY LEA FIELD Bough STATE NM MN 02640

OPR TENNECO OIL CO. MAP

2 Betenbough "B"

Sec 11, T-9-S, R-35-E CO-ORD

330' FSL, 23 10' FWL of Sec.

Re-Spd 10-16-69 CLASS OWWO E [REDACTED]

Re-Cmp 11-2-69

	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
10 3/4" at 478' w/350 sx				
7 5/8" at 4240' w/1059 sx				
5 1/2" lnr 4105-9747' w/900 sx				
4" lnr 9686-9755'				
LOGS EL GR RA IND HC A				
	TD 9758'; PBD 9755'			

IP (Bough "C") Perfs 9749-54' P 257 BOPD + 1050 BW. Pot based on 24 hr test. GOR 248.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 9850' TYPE WO

F.R. 10-21-69
PD 9850' WO (Bough "C")
(Orig. Magnolia Pet. Co. #1 Betenbough "C", comp 9-9-52 from OH 9747-58', OTD 9758', Temp Aban 1-10-56, P&A 12-9-57; OWWO by R. H. Fulton, P&A 4-7-65, OTD 9758')

11-13-69 AMEND WELL NUMBER & LEASE NAME, Formerly reported as #1 Betenbough.

10-21-69 TD 9758'; CO @ 9684'

10-27-69 TD 9758'; PBD 9755'; SI
CO to 9755'
Ran 4" liner

11-3-69 TD 9758'; PBD 9755'; TO Pmp
Sqzd old Perfs (4778-4872') w/100 sx
Perf 9749-54' w/4 SPF
Acid (9749-54') 1000 gals
Swbd 200 BLW in 12 hrs 45 min (9749-54')

LEA Bough NM Sec 11,T9S,R35E
TENNECO OIL CO. 2 Betenbough "B" Page #2

11-11-69 TD 9758'; PBD 9755'; COMPLETE
11-13-69 COMPLETION REPORTED

COUNTY	LEA	FIELD Undesignated	STATE NM	OWWO
OPR	FULTON, R. H.	MAP		
1 Betenbough				
Sec. 11, T-9-S, R-35-E				
330' fr S Line & 2310' fr W Line of Sec.				
Re-Spd 1-28-65				
Re-Cmp 4-7-65				
		FORMATION	DATUM	FORMATION
CSG & SX - TUBING				
10 3/4"	478'	350		
7 5/8"	4240'	1059		
5 1/2"	9747'	1192		
LOGS EL GR RA IND HC A				
		TD 9758'		

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 4800'	TYPE
DATE		

F.R. 1-21-65; OWWO, OTD 9758'.
Orig. Magnolia Pet. Co., #1 Betenbough "C",
P&A 2-20-58.
PD 4800' - SA
1-25-65 RU
2-1-65 No Report
2-8-65 TD 9758', PBD 4782', WOC.
CO to 4923'
Perf @ 4892' w/4 shots
Set Retainer @ 4872'
Squeezed perf @ 4892' W/25 sx.
Perf @ 4788', 4799', 4808', 4812' W/2 SPI
Ac. 500 gals.
Swbd 100% salt wtr
Squeezed perfs 4788-4812' W/100 sx.

2-8-65

- cont. -

Re-Perf @ 4788' & 4799' W/2 SPI
Ac. 500 gals.
Swbd 100% salt wtr.
Set Retainer @ 4782'
Squeezed perfs 4788-99' W/100 sx.

2-15-65

TD 9758', PBD 4782', WOO.

2-22-65

TD 9758', PBD 4782', tstg.

Perf @ 4778' W/4 shots

Ac. 3500 gals.

Swbd 13 BWPH w/good show gas.

3-1-65

TD 9758', PBD 4782', SI.

3-8-65

TD 9758', PBD 4782', tstg.

Flwg water, w/show gas.

3-15-65

TD 9758', PBD 4782', SI.

3-22-65

TD 9758', PBD 4782', SI.

3-29-65

TD 9758', PBD 4782', SI.

4-5-65

TD 9758', PBD 4782', prep to Ac.

Flwd 200 bbls salt wtr, w/show gas in
24 hrs.

Squeezed perf @ 4778' W/100 sx.

Re-Perf 4777½-78½' W/4 shots

4-12-65

TD 9758', PBD 4782', prep to P&A.

Ac. 500 gals. 4777½-78½'

Flwd salt wtr, w/show gas.

4-19-65

TD 9758', PBD 4782', PLUGGED & ABANDONED.