

37-DZ5-02642

NTY 12A	FIELD Bough	O.L.WO	
STATE NM MN 02642			
PR TENNECO OIL CO.		MAP	
2 Markham, Jack			
Sec 11, T-9-S, R-35-E		CO-ORD	
660' FSL, 660' FEL of Sec.			
Re-Spd 11-26-69		CLASS	EL
Re-Cmp 12-16-69	FORMATION	DATUM	FORMATION
CSG & SX - TUBING			
13 3/8" at 383' w/375 sx			
9 5/8" at 5000' w/3595 sx			
7" at 9664' w/1425 sx (Shut Off)			
7" at 5194' (Tie-In)			
LOGS EL GR RA IND HC A			
TD 9664'; PED 9662'			

IP (Bough "C") Perfs 9645-54' P 278 BOPD + 1058 BW. Pot based on 24 hr test. COR 1170.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	9664'	TYPE	WO
DATE				

F.R. 10-21-69

PD 9664' WO (Bough "C")

(Orig. Magnolia Pet. Co. #1 Jack Markham,
comp 9-2-49 thru Perfs 9645-54', OTD 9664',
P&A 12-14-64)

12-1-69

TD 9664'; SD Repairs

12-8-69

TD 9664'; PBD 9662'; Laying down drill pipe.

12-15-69

TD 9664'; PBD 9662'; TO Pmp

Acid (9645-54') 2000 gals

Swbd 18 BF (1% oil) in 19 hrs

12-22-69

TD 9664'; PBD 9662'; COMPLETE

12-25-69

COMPLETION REPORTED

CC INT LEA		FIELD Bough-SA		STATE NM		OWWO	
OPR SCHNEIDER, TOM				MAP			
1 Markham							
Sec. 11, T-9-S, R-35-E				CO-ORD			
660' fr S & E Lines of Sec.							
Re-Spud 10-3-64		CLASS		EL			
P & A 12-14-64		FORMATION	DATUM	FORMATION	DATUM		
CSG & SX - TUBING							
13 3/8" 383' 375							
9 5/8" 5000' 375							
LOGS EL GR RA IND HC A							
		TD 9576', PBD 4760'					

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH PB 4800'	TYPE
DATE		

F.R. 10-8-64; OWWO, OTD 9576'
Orig. Magnolia, P&A October, 1957
PD 4800' - SA
10-20-64 TD 9576', PBD 4845', prep to squeeze.
CO to 4845'
Perf 4764-68' W/1 SPF
Ac. 500 gals.
Swbd 20 B Salt Wtr PH, w/show gas.
10-26-64 TD 9576', PBD 4845', prep to squeeze.
11-2-64 TD 9576', PBD 4845', prep to squeeze.
11-9-64 TD 9576', PBD 4845', WOO.
11-16-64 TD 9576', PBD 4845', SI.
11-23-64 TD 9576', PBD 4845', SI.
11-30-64 TD 9576', PBD 4845', SI.
12-7-64 TD 9576', PBD 4845', SI.
12-14-64 TD 9576', PBD 4760', COMPLETED.
Squeezed perfs 4764-68' W/100 sx.

LEA COUNTY Bough-SA NM
SCHNEIDER, TOM, #1 Markham

Sec. 11-9S-35E
Page #2

12-14-64 - cont. -
DO to 4760'
Perf @ 4747', 4750', 4753', 4757', 4759'
W/l SPI
Ac. 500 gals.
Swbd 100% salt wtr.