DISTRIBUTION	?			KICO OIL C				N R	DRM C=128 evised 5/1/5
S. OFFICE OIL GAS RATION OFFICE				TION AND		S FORM ON	THE REVE		
- 1				SECTION	A				
erator				Lease	. 1 0 - 11 A H1			Well N	o. 1
it Letter	Section	Townsh		Range	35-0	County	\$4.		7.2
tual Footage L	cation of We	11:	J -8		***				
66 0	feet from th	e Scuid	line a	nd 1980	fee	t from the	พ่อธริ	line	
ound Level Ele	v. Produc	ing Formation		Pool				Dedicated Ac	reage: Acre
43(%)	£. no Tao 53	or Armarco		162,700	t			الهوة الأوانية ا	
wise? YES	NO	If answer i	is ''yes,'' Ty	ots of all the own type of Consolidaters and their retails.	tion	erests below			
		SEC	TION B				7	CERTIFICA	TION
		13.					in SECT plete to belief. Name Converse of Company Posts for Date	ใหญาควารในหมือสาร	s true and co knowledge a by:
							shown of plotted surveys supervis	certify that the name of the plat in S. from field notes made by me or sion, and that the to the best ef.	ECTION B was of actual tunder my the same is to
	The second secon			,			Date Su	rveyed red Profession	nal Engineer
		r r						Land Surveyor	rer mußincel
the second and the second second second second	ا هو واروان المنافق المنافق المنافق والمنافق والمنافق والمنافق المنافق المنافق المنافق المنافق المنافق والمنافق	الأسوى المعهود الاستوالية المعدادة بالدارية الأماد المراكزة المراكزة المدارة المستوالية المراكزة المراكزة المراكزة المراكزة المراكزة المراكزة المراكزة المراكزة المراكزة ا	المسرد بعد مد						

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.