

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State ☐ Fee ☒

5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - A" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL ☐ GAS WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator <i>Mobil Oil Corporation</i>	8. Farm or Lease Name <i>Santa Fe I</i>
3. Address of Operator <i>Box 633 Midland, Texas 79701</i>	9. Well No. <i>1</i>
4. Location of Well UNIT LETTER <i>H</i> <i>330</i> FEET FROM THE <i>East</i> LINE AND <i>1920</i> FEET FROM THE <i>North</i> LINE, SECTION <i>15</i> TOWNSHIP <i>9-S</i> RANGE <i>36-E</i> NMPM.	10. Field and Pool, or Wildcat <i>Crossroads Slaughter SA</i>
15. Elevation (Show whether DF, RT, GR, etc.) <i>4048.25</i>	12. County <i>Lea</i>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	COMMENCE DRILLING OPNS. ☐
PULL OR ALTER CASING ☐	CASING TEST AND CEMENT JOB ☐
OTHER ☐	OTHER <i>PTA Allison Penn And Recompleted</i> ☒
	<i>IN Crossroads Slaughter SA.</i>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 110B.

PTA Allison Penn) And Recompleted in the Crossroads Slaughter S.A., completion Dry, well Temp. abd. 3-8-73 as Per attached Daily Drilling Report

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED *[Signature]* TITLE *Authorized Agent* DATE *4-9-73*

APPROVED BY *[Signature]* TITLE *[Signature]* DATE *[Signature]*

CONDITIONS OF APPROVAL, IF ANY:

DAILY DRILLING REPORT

SANTA FE "I" #1

SANTA FE I #1, Crossroads Slaughter (San Andres) Field,
Lea County, New Mexico
OBJECTIVE: Abandon Allison (Penn) and recomplete in
Crossroads Slaughter Field.

12/27 9726 TD. MIRU. Baber Well Ser. Unit inst. BOP. POH
w/ 9700' of 2-7/8" and 2-3/8" tbg. Schlumberger ran
GR-Collar-Corr log from 4300-5000', then set 5-1/2"
CIBP @ 5000', capped w/ 20' of cement @ 4980'.
PBSD. SD for nite.

SANTA FE I #1, 9726 TD

Western Co. dumped 200 gals 15% NE acid down csg,
then loaded csg w/ 75 bbls Shell refined oil,
Schlumberger perforated 5-1/2" & 7-5/8" csg in the
San Andres @ 4853-56, 4861-71, 4873-79, 4886-92,
& 4899 to 4908' w/ 1 JSPF, total 39 holes, ran Baker
Model R 5-1/2" pkr on 2-3/8" tbg, set @ 4812',
Western Co. acidized perfs w/2000 gals. 15% NE acid,
used 55 RCNBS, BDTP 2500#, TTP 2150-3650#, AIR 3.5 BPM,
ISIP 1350# 20 min 1125#, job comp. @ 3:00 p.m. 12-27-72.
Bled off pressure, unseat pkr, SD for nite.

SANTA FE I #1, 9726 TD

Ran pkr to 4910', POH w/ tbg & pkr, Western Co.
SOF San Andres perfs 4853-4908 down 7-5/8" &
5-1/2" csg w/17,000 gals. Shell refined oil +
51,000# 20/40 Ottawa sand, frac oil contained
25# Adomite Mark II & 2 gals. Tretolite, F 46
per 1000 gals, TCP 2450#, AIR 23.4 BPM, ISIP
2100# 5 min 2000#, job comp. @ 10:20 am, 12-28-72,
on last 30 bbls of frac oil increased sand to
10# per gal, decreased rate to 3.0 BPM, CP 2450#
to 2750#.

-900 BLO + 53 BAW

SANTA FE I #1, 9726 TD, 4980 PBSD

72 SI 24 hrs, CP 150#, F 24 BLO 2 hrs, CP zero,
Ran SP, CO frac sand 4913-78, ran 150 jts
2-7/8" tbg, swab 40 BLO 2 hrs, LD 50 jts
of 2-7/8" tbg, SD for nite.

Finish LD 2-7/8" tbg, ran 2-3/8" tbg, T. perfs
& SN to 4865', swab 90 BLO in 5 hrs, 2800' FIH,
SI 13 hrs, TP zero, swab 130 BLO in 9 hrs,
4200-2400' FIH, sl sh of gas, last hr swab 12 bbls.
S/O, clean oil, SI & SD for holidays.

-616 BLO + 53 BAW

SANTA FE I #1, 9726 TD, 4980 PBSD

SI, TP Zero, sl blow on csg, swab 76 BLO
+ 4 BAW in 6 hrs, 3800-2600' FIH, no gas,
last hr swab 10 bbls S/O 100% LO, SI & SD.

-540 BLO + 49 BAW

SANTA FE I #1, 9726 TD, 4980 PBTD
 SI 13 hrs, TP zero, CP zero, swab 37 BLO +
 43 BAW in 6 hrs, 3200-2200' FIH, no gas, last
 hr.--swab 13 bbls S/O 55% AW, SI & SD. -503 BLO + 6 BAW

SANTA FE I #1, 9726 TD, 4980 PBTD
 SI 13 hrs, TP sl blow, CP Zero, swab 60 BLO
 + 6 BAW + 64 bbls. formation water in 9 hrs,
 3000-2000' FIH, no gas, swab 10 bbls. last hr,
 S/O 20% wtr, SI & SD for nite. -443 BLO

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 SI 13 hrs, TP zero, S 25 BLO + 90 BW/8 hrs, 2800-1800' FIH,
 no gas, L hr sw 10 bbls, S/O 50% wtr, SI & SD. - 418 BLO.

SI 13 hrs, TP zero, S 20 BLO + 40 BW/6 hrs, 2800-1800, L hr
 S 8 bbls, S/O 60% wtr, no gas, SI & SD for weather. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 Ran pump & rods to SN @ 4789, spaced out, SD for weather.
 - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 SD for weather.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 SD for weather.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 Changed out polish rods, RD, Rel unit & Rel well to Prod @
 2:00 p.m. 1/11/73. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 WO power co. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 WO power co. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 WO power co. - 398 BLO.
 WO power co. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 WO power co. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 Started testing - no gauge. - 398 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 P 1 BLO + 48 BSW/24 hrs. - 397 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 P 10 BLO + 55 BSW/24 hrs. - 387 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 P 10 BLO + 64 BSW/24 hrs. - 377 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
 Pumping - no gauge. - 377 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 22 BLO + 190 BSW/3 days.	- 355 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 13 BLO + 70 BSW/24 hrs.	- 342 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 2 BLO + 50 BSW/24 hrs.	- 340 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 0 BLO + 64 BSW/24 hrs.	- 340 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 0 BLO + 70 BSW/24 hrs.	- 340 BLO.
SANTA FE "I" #1 9726 TD, 4980 PBTD. P 8 BLO + 194 BSW/3 days.	- 332 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 48 BSW/24 hrs.	- 327 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 48 BSW/24 hrs.	- 322 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 50 BSW/24 hrs.	- 317 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 6 BLO + 91 BSW/24 hrs.	- 311 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 22 BLO + 232 BSW/3 days.	- 289 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 274 BSW/24 hrs.	- 284 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 64 BSW/24 hrs.	- 279 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 71 BSW/24 hrs.	- 274 BLO.
SANTA FE "I" #1, 9726 TD, 4980 PBTD. P 5 BLO + 65 BSW/ 24 hrs.	-265 BLO
SANTA FE "I" #1, 9726 TD, 4980 PBTD P 16 BLO + 274 BSW/ 4 days.	-253 BLO
SANTA FE "I" #1, 9726 TD, 4980 PBTD P 5 BLO + 65 BSW/ 24 hrs.	-248 BLO
SANTA FE "I" #1, 9726 TD, 4980 PBTD P 5 BLO + 65 BSW/ 24 hrs.	-243 BLO
SANTA FE "I" #1, 9726 TD, 4980 PBTD P 5 BLO + 65 BSW/ 24 hrs.	-238 BLO
SANTA FE "I" #1, 9726 TD, 4980 PBTD P 13 BLO + 194 BSW/ 3 days.	-225 BLO

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
P 5 BLO + 65 BSW/24 hrs.

- 220 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
P 5 BLO + 64 BSW/24 hrs.

- 215 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
P 10 BLO + 130 BSW/2 days.

- 205 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.

P 10 BLO + 130 BSW/2 days, pulled and changed pump,

P 3 BLO + 60 BSW/18 hrs.

- 192 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
P 2 BLO + 65 BSW/24 hrs.

- 190 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.
P 1 BLO + 64 BSW/24 hrs.

- 189 BLO.

SANTA FE "I" #1, 9726 TD, 4980 PBTD.

3/8/73 P 5 BLO + 65 BSW/24 hrs.

- 184 BLO.

TA 3/8/73 initiate P&A procedures.

FINAL REPORT.