

COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p align="center"><small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)</small></p>		<p>5a. Indicate Type of Lease State <input type="checkbox"/> Fee <input checked="" type="checkbox"/></p> <p>5. State Oil & Gas Lease No.</p>
<p>OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Temporarily Abandoned</p>		7. Unit Agreement Name
<p>1. Name of Operator Oil Development Company of Texas</p>		8. Farm or Lease Name SFPRR 26
<p>2. Address of Operator P. O. Box 12058, Amarillo, Texas 79101</p>		9. Well No. 1
<p>3. Location of Well UNIT LETTER <u>G</u> <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE, SECTION <u>26</u> TOWNSHIP <u>9S</u> RANGE <u>36E</u> N.M.P.M.</p>		10. Field and Pool, or Wildcat Crossroads (Siluro Dev)
<p>15. Elevation (Show whether DF, RT, GR, etc.) 4039' GR</p>		12. County Lea

6. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

7. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

10-22-75: Moved in rig. Ran gauge ring to 12,050'. Ran and set cast iron bridge plug at 12,050'. Spotted 35' cement above plug.

10-23-75: Loaded hole with mud laden fluid. Spotted 15 sx cement plug from 7745' to 7609'.

10-24-75: Shot off casing and pulled casing.

10-25-75: Pulled casing. Total recovery 6850.21'. Ran tubing and loaded with mud laden fluid.

10-27-75: Spotted 40 sx cement plug from 6850' to 6722'. Spotted 40 sx cement plug from 4520' to 4412'. Spotted 40 sx cement from 2340' to 2232'. Spotted 10 sx cement plug from 25' to surface with marker imbedded.

We are in the process of filling the pits and cleaning the location. Will contact the commission when ready for inspection.

8. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Ed Arnold Jr TITLE Petroleum Engineer DATE November 6, 1975

APPROVED BY R. J. Patterson TITLE OIL & GAS INSPECTOR DATE JUL 9 1980

CONDITIONS OF APPROVAL, IF ANY: