STATE OF NEW MEXICO ERGY AND MINERALS DEPARTMENT

NO. 01 COPIES SCCCIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIVISION

Form C-103

SANTA FE SANTA FE, NEW MEXICO 87501	Revised 10-1-78
FILE	5a, Indicate Type of Lease
U.S.G.S.	State Fee X
LAND OFFICE	5, State Oil & Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS	
(DO NOT USE THIS FORM FOR PHOPOSALS TO PRILL ON TO SEPPEN OR POUR BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT _" (FORM C-101) FOR SUCH PROPOSALS.!	
1.	7. Unit Agreement Name
OIL X GAS WELL OTHER-	
2. Name of Operator	8. Form or Lease Name
Sun Exploration & Production Co. 3. Address of Operator	U.D. Sawyer
	9. Well No.
P.O. Box 1861, Midland, Texas 79703 q	4 10. Field and Pool, or Wildcat
	•
UNIT LETTER A 660 FEET FROM THE EAST LINE AND 660 FEET FROM	Crossroads Penn
THE North LINE, SECTION 27 TOWNSHIP 9-5 RANGE 36-E NMPM.	
THE LINE, SECTION TOWNSHIP RANGE NMPM.	
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
4027' GR	Lea ())))
Check Appropriate Box To Indicate Nature of Notice, Report or Oth	er Data
	REPORT OF:
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
TEMFORARILY ABANDON COMMENCE DRILLING OPNS.	PEUG AND ABANDONMEN"
PULL OR ALTER CASING CHANGE PLANS CASING TEST AND CEMENT JQB	
Add perfs & acdz	
OTHERX	
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including	estimated date of starting any proposed
work) SEE RULE 1103.	
1.MIRU. POH w/ rods and pump. Install BOP. POH w/ 2-7/8" tbg.	
2. RIH w/ $5\frac{1}{2}$ P-1 CIBP on WL and set at 11490'. Dump 2sx cmt on top of	CIBP. Plug back
w/ sand to 11425' w/ Howco dump bailer.	
3. GOI perf 11400-413 w/ 1 JSPF, 14 holes, w/ 4" DML DJ XXIII CG, 23 G	
Radioactivity Log dated 6/5/52, equals 11398-11411 by Welex Collar 94. RIH w/ 2-7/8" WS and RDG pkr. (Use 9000' J-55 tbg w/ remaining WS ma	og dated 12/12//o.
Spot 1bbl acid from 11413-11371. Raise and set pkr @ 11300'. Trap	500# on appulue
5. Howco acdz perfs 11400-413 w/ 1500 gals 15% NEFEHCL and 21- 7/8" RC	NBS evenly spaced
thruout. Pump @ 3BPM, Mx-5000#. Flush to btm perf w/ 2% KCL wtr.	iso evenity spaced
6. Swab back load and acid wtr. Eval fluid content and rate.	
7. Rlse pkr. POH. Clean out sand.	
8. RIH w/ 2-7/8 tbg, 86 rod string and $1\frac{1}{4}$ " pump.	
TAC 11296 SN 11416 PN 11417 MA 11420 TS 11450	
110- 1", 111- 7/8", 234- 3/4" KD rods.	
·	
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
10.1 nevery certary met de manufacture and complete to the best of my snowledge and beilel.	
Accounting Assistant II	DATE NOV. 2, 1982
SIGNED TITLE TITLE TOUGHTETTING TOUTHETT	DATE 1100. 2, 1702
ON A CIKA COM	
Eddi W Sea TITLE OF & GAS INSPECTOR	DATE _ NOV 1 1 1980

RECEIVED NOV 1 0 1982

HOSBS OFFICE

•