

COUNTY LEA FIELD Mescalero STATE NM 30-025-22018
 OPR CITIES SERVICE OIL CO. MAP
 11 State "AD"
 Sec 22, T-10-S, R-32-E
 800' FSL, 1980' FEL of Sec CO-ORD

Re-Cmp 3-27-72	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX . TUBING				
13 3/8" at 411' w/450 sx				
8 5/8" at 3500' w/1950 sx				
5 1/2" at 9590' w/680 sx				
LOGS EL GR RA IND HC A				
	TD 9590'; PBD 9110'			

(Pennsylvanian) Perfs 8319-8720' NO NEW POTENTIAL

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 9110' TYPE WO
 DATE

4-11-72 F.R.C. 4-15-72; Opr's Elev. 4343' DF
 PD 9110' WO (Pennsylvanian)
 (Orig. comp 4-14-67 thru (Pennsylvanian)
 Perfs 9310-56', OTD 9590', OPB 9545')
 TD 9590'; PBD 9110'; COMPLETE
 PB to 9110'
 Perf @ 8319', 8343', 8345', 8356', 8714',
 8716', 8718', 8720' w/1 SPI
 Acid (8319-8720') 500 gals (MA)
 Swbd Dry (8319-8720')
 Acid (8319-8720') 2000 gals (15% HCL)
 Ppd 13 BO + 3 BW in 24 hrs, GOR TSTM,
 Grav 46.7 (8319-8720')
 4-15-72 COMPLETION REPORTED

COUNTY	LEA	FIELD	Mescalero	STATE	NM
OPR	CITIES SERVICE OIL CO.				MAP
	11 State "AD"				
	Sec. 22, T-10-S, R-32-E				CO-ORD
	800' FSL, 1980' FEL of Sec.				30-025-22018
	Spd 2-10-67		CLASS		EL
	Cmp 4-14-67		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING					
13 3/8"	411'	450			
8 5/8"	3500'	1950			
5 1/2"	9590'	680			
LOGS EL GR RA IND HC A					
			TD 9590'; PBD 9545'		
IP Pennsylvanian Perfs 9310-56' Pmpd 88 BOPD + 5 BW. Pot. Based on 24 hr test, gravity 46.7, GOR 505.					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	9600'	TYPE	RT
DATE				

F.R. 2-9-67
PD 9600' - Penn.
2-13-67 Drlg. 1472'.
2-20-67 Drlg. 3680'.
2-27-67 Drlg. 6740'.
3-6-67 Drlg. 8115'.
3-13-67 Drlg. 8979'.
DST 8135-8200', open 2 hrs,
Rec 1-1/2 Bbls Sli GCM,
1 hr ISIP 1339#, FP 143-95#,
1 hr FSIP 527#.
DST 8215-8280', open 2 hrs,
Rec 150' DM,
1 hr ISIP 371#, FP 114-114#,
1 hr FSIP 171#.

0-67 Drlg. 9545'.
 DST 8996-9066', open 2 hrs,
 GTS 1 hr 35 mins,
 Rec 150' GCM,
 ISIP 407#, FP 71-71#,
 FSIP 767#.
 DST 9160-9230', open 2 hrs,
 GTS 1 hr 35 mins,
 Rec 160' GCM,
 1 hr ISIP 1361#, FP 116-162#,
 1 hr FSIP 2021#.

3-27-67 TD 9590', PBD 9545', prep test.
 Perf @ 9310', 9316', 9322', 9326', 9337',
 9346', 9348', 9352', 9356' W/1 SPI

4-3-67 TD 9590', PBD 9545', RU Pump.
 Swbd 12 BO + 5 BLWPH
 Acid (9310-56') 7500 gals.
 Swbd 66 BO + 77 BLW in 9 hrs (-83 BLW)

4-10-67 TD 9590', PBD 9545', TOP
 Pmpd 176 BO + 51 BLW in 48 hrs.

4-17-67 TD 9590', PBD 9545', COMPLETE.
 LOG TOPS: Anhydrite 1565', Queen 2850',
 San Andres 3410', Glorieta 4807', Abo 7035',
 Hueco 8017', Saunders 8297'.