

COUNTY **LEA** FIELD **Bagley, N.** STATE **NM**
 OPR **AMOCO PRODUCTION CO.** API **30-025-22037**
 NO **2** LEASE **State "DH"** MAP
Sec 21, T11S, R33E (CORD
660 FSL, 660 FEL of Sec **1-5-27 NM**
6 1/2 mi SE/Caprock RE-SPD **12-8-82** RE-MP **12-20-82**

CSG	WELL CLASS: INIT DX FIN DO LSE. CODE			
	FORMATION	DATUM	FORMATION	DATUM
	11 3/4-385-300 sx			
	8 5/8-3830-420 sx			
	5 1/2-10,103-600 sx			
	2 3/8-9634			
TD 10,103 (STRN)			PBD	9650

IP (Pennsylvanian) Perfs 8956-9564 P 8 BOPD + 83 BW.
 Pot based on 24 hr test. GOR 13,750; gty (NR)

CONTR OPRN ELEV 4275 GL sub-s

F.R.C. 1-29-83 OWWO
 PD 9650 WO
 (Orig. Pan-American Petroleum Corp.,
 Cmp. 6-21-70 thru (Pennsylvanian) Perfs
 9254-9372, OTD 10,103, OPB 9550)
 1-24-83 TD 10,103; PBD 9650; Complete
 DO to 9650
 Perf (Pennsylvanian) 8956-9564
 Acid (8956-9564) 7200 gals
 1-29-83 COMPLETION ISSUED

1-5-27 NM
 IC 30-025-70021-83

COUNTY LEA FIELD Bagley, N. MN 22037
 STATE NM OWWO
 OPR PAN AMERICAN PET. CORP. MAP
2 State "DH"
Sec 21, T-11-S, R-33-E CO-ORD
660' FSL, 660' FEL of Sec.

Re-Cmp 6-21-70		CLASS <u>OWOF</u> EL <u>4275E</u>	
FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING			
11 3/4" at 385' w/300 sx			
8 5/8" at 3830' w/420 sx			
5 1/2" at 10103' w/600 sx			
LOGS EL GR RA IND HC A			
TD 10,103'		PBD 9550'	

IP (Upper Pennsylvanian) Perfs 9254-9372' P 175 BOPD + 318 BW.
 Pot based on 24 hr test; GOR 1721.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 9372' TYPE WO
 DATE

7-6-70 F.R.C. 7-9-70; Opr's Elev 4276' KB
 PD 9372' - WO - Upper Pennsylvanian
 (Orig. cmp 3-22-67 thru Perfs 9893-9998',
 OTD 10,103', OPB 10,028')
 TD 10,103', PBD 9550', COMPLETE
 Set BP at 9550'
 Perf 9254-59', 9268-74', 9283-92', 9295-9300',
 9342-49', 9356-61', 9372' w/2 SPF
 Acid (9254-9372') 10,000 gals
 7-9-70 COMPLETION REPORTED

COUNTY	LEA	FIELD	Bagley, North	STATE	NM
OPR	PAN AMERICAN PETROLEUM CORP.				MAP
	State "TX"				
	Sec. 21, T-11-S, R-33-E				CO-ORD
	660' FSL, 660' FEL of Sec.				30-025-22037
	Std 2-16-67				
	Cmp 3-22-67				
	CLASS		EL		
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
11 3/4" 385'	300				
8 5/8" 3830'	420				
5 1/2" 10103'	600				
LOGS EL GR RA IND HC A					
	TD 10103'; FBD 10028'				
IP Pennsylvanian Perfs 9893-9998' Swbd & Flwd 120 BOPD + 360					
EW. Pot. Based on 24 hr test; gravity 46.					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus Drlg. Co. PROP DEPTH 10,800' TYPE RT
DATE

F.R. 2-23-67; Opr's Elev. 4276' KB
FD 10,800' - Pennsylvanian
Contractor - Cactus
2-20-67 Drlg. 3069'
2-27-67 Drlg. 5735'.
3-6-67 Drlg. 8195'.
3-13-67 Drlg. 9825'.
3-20-67 TD 10103', FBD 10028', tstg.
Perf 9893-99', 9923-53', 9994-98' W/2 SPF
Acid (9893-9998') 5000 gals.
Swbd 180 ELW in 6 hrs.
3-27-67 TD 10103', FBD 10028', COMPLETE.
Swbd 85 BO, 40 ELW + 340 BFW in 24 hrs.

3-27-67

Cont.

LOG TOPS: Anhydrite 1670', Yates 2454',
San Andres 3655', Glorieta 5120', Drinkard
6505', Abo 7265', Wolfcamp 8444', Upper
Pennsylvanian 8900', Bough "C" 8990', Cisco
9068', Canyon 9448', Strawn 9980'.