

10-30-67 TD 10066', TOP
Pmpd 100% wtr (10,000-004½')
Sqzd (10,000-004½') 75 sx.
Perf 10,001-010' W/2 SPF
Acid (10,001-010') 500 gals.

11-6-67 TD 10066', TOP
11-13-67 TD 10066', TOP
11-20-67 TD 10066', TOP
11-27-67 TD 10066', TOP
12-4-67 TD 10066', TOP
12-11-67 TD 10066', TOP
12-18-67 TD 10066', TOP
1-2-68 TD 10066', TOP
1-15-68 TD 10066', TOP
1-22-68 TD 10066', TOP

2-6-68 TD 10066', TOP
2-12-68 TD 10066', TOP
2-19-68 TD 10066', PLUGGED & ABANDONED
Pmpd 100% wtr (10,001-010')
LOG: Bough "C" 9986' (5747')

2.2.2

✓

COUNTY	LEA	FIELD	Lane, South	STATE	NM
OPR	AMINI, K. K.				MAP
	1 T. P. State				
	Sec. 36, T-10-S, R-33-E				CO-ORD
	660' FNL, 660' FEL of Sec.				30-025-22042
	Spd 2-18-67				
	Cmp 1-15-68				
	CLASS		EL		
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
12 3/4" 366' 400					
8 5/8" 3818' 400					
4 1/2" 10066' 400					
LOGS EL GR RA IND HC A					
	TD 10066'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus	PROP DEPTH	10,100'	TYPE	RT
DATE				

F.R. 2-23-67
PD 10,100' - Bough "C"
Contr. - Cactus

2-28-67 Drlg. 6250' lm.
3-8-67 Drlg. 8468'.
3-13-67 Drlg. 9355' lm.
3-20-67 TD 10066', WOC.
3-27-67 TD 10066', prep perf.
4-3-67 TD 10066', WO Pumping Equipment.
Perf 10001-013' W/20 shots
Acid (10001-013') 500 gals.
Swbd 10 BFPH for 10 hrs, NS oil

4-10-67 TD 10066', WO Pumping Equipment.
4-17-67 TD 10066', TO Pump
Pmpd 100% wtr

4-24-67 TD 10066', TOP
5-1-67 TD 10066', TOP
5-3-67 TD 10066', TOP
 Pmpd 100% war
5-15-67 TD 10066', TOP
5-22-67 TD 10066', TOP
5-29-67 TD 10066', TOP
6-5-67 TD 10066', TOP
6-12-67 TD 10066', TOP
6-19-67 TD 10066', TOP
6-26-67 TD 10066', TOP
7-3-67 TD 10066', TOP
7-10-67 TD 10066', TOP
 Pmpd 100% war (10001-013')
7-17-67 TD 10066', TOP
7-24-67 TD 10066', TOP

7-31-67 TD 10066', TOP
8-7-67 TD 10066', TOP
8-14-67 TD 10066', TOP
8-21-67 TD 10066', TOP
8-28-67 TD 10066', TOP
9-5-67 TD 10066', TOP
9-11-67 TD 10066', TOP
9-18-67 TD 10066', TOP
9-25-67 TD 10066', TOP
10-2-67 TD 10066', TOP
10-9-67 TD 10066', SL
10-16-67 TD 10066', TOP
 Pmpd (10001-013') 1/100 war.
 Pmpd 10,000-004½' 1/2 22F
 Acid (10,000-004½') 1000 gal (1.5%)
10-23-67 TD 10066', TOP