NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form -102 Sup- des C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section.

							Taxas taxas
Operator	100 B D		JUN 1251	1133011	168		Well No.
Unit Letter	les B. Read Section	Township	Range	Kella-Dirit	County	·	
H	10	10S		33E	-	Lea	
Actual Footage Loc	cation of Well:						
2130		rth line and	660	feet f	from the	East ,	line
Ground Level Elev: 4225.4			Pool Vo de	, T)			Dedicated Acreage:
	Bough	ted to the subject w		a - Penn	h - ah		NE/4 (160) Acres
2. If more th	_	·		•			ereof (both as to working
	communitization, u	ifferent ownership is nitization, force-pool nswer is "yes;" type o	ing. etc?			terests of	all owners been consoli-
						consolida	ated. (Use reverse side of
	f necessary.)		<u> </u>				
						•	nunitization, unitization, approved by the Commis-
							CERTIFICATION
			 			tained her	ertify that the information con- ein Is true and complete to the knowledge and belief.
	1		. i	8/30	.		-
	+			· — — — —		Ngel	le B. Seal
			<u> </u>	:		Position	Operator
				Ö- —	-660	Company (Charles B. Read
	1					Date J	une 10, 1968
fı		w change of acre to NE/4 and ch	•			shown on notes of under my is true a	certify that the well location this plat was plotted from fiel actual surveys made by me a supervision, and that the sai and correct to the best of a sand belief.
	1		1			Date Survey	ed
	i		1				<u> </u>
	1		; 		to or conviguos the West	Registered I and/or Land	Professional Engineer Surveyor
						···	
0 330 660	190 1320 1650 191	10 2810 2640 200	0 1500	1000 500		Certificate 1	No.

2130' FNL, 660' FEL Spd 3-9-67	30-025-22048				
Cmp 5-11-67	7	CLASS	EL		
	FORMATION	DATUM	FORMATION	DATUM	
12 3/4" 368 350 8 5/8" 3905 350 5 1/2" 9715 200					
LOGS EL GR RA IND HC A					
	TD 9715'; P	BD 96831			

IP Bough "C" Perfs 9661-66 Pmpd 264 BOPD + 600 BW. Pot. Based on 24 hr test.

Distribution limited and publication prohibited by subscribers' agreement.

Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Marcum Drlg. Co. PROP DEPTH 9800 TYPE FIG.

F.R. 3-2-67 PD 9800' - Bough "O" Contractor - Marcum Drlg. Co. 3-13-67 Drlg. 820°. 3-20-67 Drlg. 4127; Drlg. 6810; 3-27-67 4-3-67 Drlg. 8460'. 4-10-67 Drlg. 9210'. 4-17-67 Drlg. 9678'. DST 9570-9642', open 1 hr, rec 120' DM, w/NS; 1 hr 30 min ISIP 3064#, FP 108-159#, 2 hr 30 min FSIP 2862#.

SEAR, CHARIES D., WI SKELLY OCCUP

5-1-67

3-8-67 3-1:-67 TD 9715', PBD 9683', swbg.
Perf @ 9661', 9664', 9666' W/2 SPI
Acid (9661-66') 500 gals.
Swbd 92 BW in 6 hrs.
Swbd 132 BF in 10 hrs (2% oil, 98% wtr)
TD 9715', PBD 9683', SI Storage.
Swbd 656 BF in 49 hrs (12% oil)
TD 9715', PBD 9683', TOP, no gauge.
TD 9715', PBD 9683', COMPLETE.
LOG TOPS: Yates 2586', San Andres 3860',
Slorieta 5288', Tubb 6758', Abo 7598',
Bough "C" 9652'.