

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

NEW MEXICO OIL CONSERVATION COMMISSION

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
2. Name of Operator Pennzoil United, Inc.		5. State Oil & Gas Lease No. K - 4667
3. Address of Operator P. O. Drawer 1828 - Midland, Texas 79701		7. Unit Agreement Name
4. Location of Well UNIT LETTER <u>E</u> <u>2130</u> FEET FROM THE <u>North</u> LINE AND <u>660</u> FEET FROM THE <u>West</u> LINE, SECTION <u>17</u> TOWNSHIP <u>11-S</u> RANGE <u>34-E</u> NMPM.		8. Farm or Lease Name Harris "17" State
15. Elevation (Show whether DF, RT, GR, etc.) 4203.7 RKB		9. Well No. 1
		10. Field and Pool, or Wildcat Inbe Permo-Penn
		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <u>Test upper zone during plugging</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1.) Set C.I.BB.P. @ 9900' & capped w/20' of cement.
- 2.) Perforated & tested 9334'-9343'. Treated w/3500 gals acid. Swabbed dry
- 3.) Loaded hole w/brine wtr. mixed w/25 sx Salt gel per 100 bbls. of wtr.
- 4.) Ran free point & cut 5½" csg. @ 4750'. Pulled & laid down casing.
- 5.) Spotted a 40 sk cement plug from 4800' to 4700' (Top of 5½" stub)
- 6.) Spotted a 40 sk cement plug from 4150-4050'. (Base of 8 5/8" casing)
- 7.) Ran free point & cut 8 5/8" casing @ 1,000'.
- 8.) Spotted a 60 sk cement plug from 1050 to 950'. (Top of 8 5/8" stub)
- 9.) Spotted a 10 sk cement plug @ surface. Installed 4" x 4' marker w/well name & number, unit letter, section, township & range.
- 10.) Cleaned well site.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED J. C. Raney TITLE Petroleum Engineer DATE March 16, 1972
APPROVED BY J. W. Runyan TITLE Geologist DATE MAR 20 1972
CONDITIONS OF APPROVAL, IF ANY: FEB 1 1972