

COUNTY	IEA	FIELD	Inbe	STATE	TX
OPR	PEINZOIL CO.				MAP
1 Harris-State 17					
Sec. 17, T-11-S, R-34-E					
2130' FNL, 660' FWL of Sec.					
Spd 4-1-67					
Cmp 6-25-67					
		FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
13 3/8"	425'	400			
8 5/8"	4100'	600			
5 1/2"	9927'	450			
LOGS EL GR RA IND HC A					
		TD 9932'			
TP Bough "C" OH 9927-32' Pmpd 111 BOPD + 390 BW. Pot. Based on 24 hr test, gravity 41.1, GOR 1419.					

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Marcum
 DATE
 PROP DEPTH 10,000' TYPE

F.R. 3-30-67
 PD 10,000' - Bough "C"
 Contr. - Marcum
 4-4-67 Drlg. 3045' anhy
 4-11-67 Drlg. 5367' lm.
 4-17-67 Drlg. 7779' Sh.
 4-25-67 Drlg. 9308'
 5-1-67 TD 9920', prep DST
 5-8-67 TD 9927', swbg.
 DST 9902-20', open 3 hrs 20 mins,
 GTS 10 mins @ 310 MCFGPD decr. to 111 MCFGPD,
 Pkr Failed,
 Rev out 30 BO + 1 1/2 BW,
 No Pressures.

9888-87 Cont.
Perf @ 9919', 9924' W/2 SPF
Acid (9919-24') 500 gals.
9813-87 TD 9927', swbg.
Swbd wtr (9919-24')
Sqzd perf @ 9919-24'
Perf 9919-17' W/2 SPF
Acid (9919-17') 500 gals.
9822-87 TD 9927', PBD 9926', prep Acid.
Swbd 20% oil, 80% wtr (9919-17')
Sqzd 9919-17' W/100 ex.
Perf 9920½-21½' W/5 shots
9822-87 TD 9927', PBD 9926', fshg pkr
Acid (9920½-21½') 500 gals.
Swbd 5% oil, 95% wtr (9920½-21½')

Sqzd 9920½-21½' W/100 ex.
Perf @ 9887' W/2 Shots
Acid (9887') 250 gals.
9888-87 TD 9927', PBD 9926', prep sqz
Sqzd perf @ 9887'
Perf 9920-24' W/4 SPF
Acid (9920-24') 250 gals.
Swbd dry (9920-24')
Acid (9920-24') 500 gals
Had communications
Swbd 27½ SW
Set Ret. @ 9904', unable to squeeze
9888-87 TD 9927', swbg OK
Unable to squeeze
Drid out remainder @ 9902'
Swbd 337 BSW (10% oil) in 20 hrs (9902-10')
Sqzd 9920-24' W/100 ex.
Drid out amt & deepened 9927-9926'

INA Labe NY
HARRIS CO., #1 Harris-State 17

Sec. 17-118-348
Page #2

6-19-67 TD 9932', swbg.
 Swbd dry (9927-32')
 Acid (9927-32') 500 gals.
 Swbd 127 BF (5% oil) in 12 hrs (9927-32')
 Acid (9927-32') 500 gals.
 Swbd 127 BW w/tr. oil in 12 hrs.
6-21-67 TD 9932', building tanks
 Acid (9927-32') 5000 gals 15%
 Swbd 131 BF (50% oil) in 11 hrs.
7-3-67 TD 9932', RJ Pump.
7-11-67 TD 9932', TOP
 Prpd 72 BW + 450 BW in 24 hrs.
7-11-67 TD 9932', COMPLETE.
LOG TOPS: Ashy 1990', S/Salt 2190', Latite
 2712', Seven Rivers 2810', Queen 3110', Cla. 3110'

3750', 5A 3977', Clorietta 5434', Tull
6878', Abo 7710', Wolfcamp 8991', Penn.
9130', Bough "C" 9935'.