

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy <u>2244</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt <u>2340</u>	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>2790</u>	T. Atoka <u>10978</u>	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>2925</u>	T. Miss <u>11450</u>	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____	T. Devonian <u>12043</u>	T. Menefee _____	T. Madison _____
T. Queen _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres <u>4248</u>	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta <u>5717</u>	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinbry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard <u>Sd 7048</u>	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo <u>7765</u>	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp <u>9027</u>	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	2244	2244	Red Beds				
2244	2340	96	Anhydrite				
2340	2790	450	Salt				
2790	4248	1458	Red Beds				
4248	5717	1469	Dolomite & Limestone				
5717	7765	2048	Dolomite & Anhydrite w/ interbedded sandstones				
7765	9027	1262	Red & Green Shales at top grading into Dolomite at depth				
9027	10978	1951	Limestone w/interbedded shales				
10978	11450	472	Shale w/interbedded lime- stone & sandstones				
11450	11968	518	Limestone w/interbedded cherty limestone				
11968	12043	75	Shale				
12043	12055	12	Dolomite				