

COUNTY LEA FIELD Bagley, N. STATE NM MN 22329
 OPR GULF OIL CORP. MAP
1 Lea "OG" State
Sec 9, T-11-S, R-33-E
1980' FSL, 1980' FWL of Sec CO-ORD

Re-Cmp 12-23-70		CLASS <u>OWDF</u>		E [REDACTED]	
CSG & SX - TUBING	FORMATION	DATUM	FORMATION	DATUM	
13 3/8" at 367' w/350 sx					
8 5/8" at 3800' w/500 sx					
5 1/2" at 10,270' w/1200 sx					
LOGS EL GR RA IND HC A					
TD 10,270'; PBD 9687'					

(Pennsylvanian) Perfs 9284-9530' NO NEW POTENTIAL.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 10,201' TYPE WC

2-2-71 F.R.C. 2-4-71; Opr's Elev. 4288' GL
 PD 10,201' WD (Pennsylvanian)
 (Orig. comp 12-28-67 thru Perfs 9386-9530',
 OTD 10,270', OPR 10,240')
 TD 10,270'; PBD 9687'; COMPLETE
 Perf 9284-86', 9309-11', 9763-65', 9896-98',
 9924-26', 9967-69', 10,028-030', 10,056-058',
 10,098-10,100', 10,151-153', 10,199-201'
 Acid (9284-10,201') 5500 gals
 Produced excessive wtr (9284-10,201')
 Set retainer @ 9687'
 Sqzd (9763-9926') w/150 sx
 Acid (9284-9530') 2000 gals
 2-4-71 COMPLETION REPORTED



COUNTY	LEA	FIELD	Bagley, North	STATE	NM
OPR	GULF OIL CORP.				MAP
1 Lea "OG" State					
Sec. 9, T-11-S, R-33-E					
1980' FSL, 1980' FWL of Sec.				CO-ORD	
Spd 11-14-67				30-025-22329	
Cmp 12-28-67		CLASS			
CSG & SX - TUBING	FORMATION	DATUM	FORMATION	DATUM	
13 3/8" 367' 350					
8 5/8" 3800' 500					
5 1/2" 10270' 1200					
LOGS EL GR RA IND HC A					
TD 10270'; PBD 10240'					

IP U/Penn. Perfs 9386-9530' Flwd 353 BOPD + 155 BW. Pot. Based on 19 hr test of 279 BO + 123 BW thru 24/64" chk., TP 300#, GOR 1977, Gravity 47.5.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Sharp Drlg. Co. PROP DEPTH 10,400' TYPE RT
DATE

F.R. 11-16-67; Elev. 4304' DF
PD 10,400' - L/Penn.
Contr. - Sharp Drlg. Co.
11-17-67 Drlg. 2260' anhy & salt.
11-27-67 Drlg. 6083' 1m.
12-4-67 Drlg. 8105' 1m.
12-11-67 Drlg. 9140' 1m.
12-18-67 Drlg. 10084' 1m, sh & sd.
1-2-68 TD 10270', PBD 10240', COMPLETE
Perf 9386-92', 9519-30' W/2 SPF
Acid (9386-9530') 3000 gals 15%
LOG: Anhy 1730', Yates 2448', Queen 3150',
SA 3720', Glor 5122', Tubb 6540', Abo 7360',
Wolfcamp 8490', Bough "C" 9145', Strawn
9908'.

1