

Submit 3 Copies  
to Appropriate  
District Office

State of New Mexico  
Energy, Minerals and Natural Resources Department

Form C-103  
Revised 1-1-89

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO.
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 934329
7. Lease Name or Unit Agreement Name Dessie Sawyer
8. Well No. 2
9. Pool name or Wildcat Crossroads <i>Seluro Der.</i>

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE 'APPLICATION FOR PERMIT' (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator Kelly H. Baxter	
3. Address of Operator 300 W. Texas Midland, Texas	
4. Well Location Unit Letter K Section 27 Township 9-S Range 36-E NMPM Lea County Feet From The South 2310 Line and 2310 Feet From The West	
10. Elevation (Show whether DP, RKB, RT, GR, etc.)	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- Set C.I.B.P. at 11,100' spot 5 sacks of cement on plug.  
*Set 100' plug 2940'*
- Load hole with mud 9.5# per gallon, 44 Vis.
- Cut casing at free point, and pull casing.
- Spot 50 sacks of cement at casing cut off, Tag after four hours.
- Spot 50 sacks of cement at bottom of surface 4,250' to 4,100', Tag after four hours.
- Spot 35 sacks cement at salt 2,387' to 2,290', and 10 sacks at surface.  
weld on dry hole marker and back drag location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

OWNER

DATE

5/22/92

TELEPHONE NO.

TYPE OR PRINT NAME

(This space for State Use)

Signed by  
Paul Kautz  
Geologist

MAY 27 '92

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

MAY 27 1992

OCD HOSBS OFFICE