LEA COUNTY FIELD Wildcat STATE NM 30-025-22539 BTA OIL PRODUCERS OPR MAP 1 Katy 684 Ltd. Sec 5, T-9-S, R-35-ECO-ORD 660' FNL, 1980' FEL of Sec. Spd 4-30-68 CLASS Cmp 1-29-69 FORMATION DATUM FORMATION DATUM CSG & SX - TUBING 12 3/4" at 385' w/375 sx 8 5/8" at 4020° w/400 sx 4 1/2" at 9758' w/400 sx. LOGS EL GR RA IND HC A TD 9761' IP (Bough "C") OH 9758-61' P 50 BOPD + 1468 BW. Pot based on

C,

24 hr test. GOR 820; Crav 44.6.

Distribution limited and publication prohibited by subscribers' agreement. Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

Robinson Bros. CONT. PROP DEPTH 10,000' DATE

F.R. 5-2-68 PD 10,000 (Penn) Contractor - Robinson Bros. 5-6-68 Drlg. 2190' 5-13-68 Drlg. 4546' lm & sh 5-21-68 Drlg. 7401' 5**-27-**68 Dr1g. 8312' 6-4-68 Dr1g. 9481' 6-10-68 TD 9758'; WOC 6-18-68 TD 9761'; TO Pmp Acid OH (9758-61') 500 gals Swbd 18 BFPH (55% load & form wtr) Ppd 1200 BW w/sli show oil in 24 hrs 6-24-68 TD 9761'; TO Pmp Ppd 25 BO + 1200 BW in 24 hrs

```
Wildcat
                          NM Sec 5, T9S, R35E
LEA
                                           Page #2
                     1 Katy 684 Ltd.
BTA OIL PRODUCERS
              TD 9761'; TO Pmp
7-1-68
              Ppd 9 BO + 1291 BW in 24 hrs
              TD 9761'; TO Pmp
8-68
              Ppd 11 BO + 1300 BW in 24 hrs
              TD 9761'; TO Pmp
7-15-68
              Ppd 10 BO + 1200 BW in 24 hrs
              TD 9761'; SD Repairs
7-22-68
              Ppd 8 30 + 1200 BW in 24 hrs
              TD 9761'; TO Pmp
7-29-68
              Ppd 3 BO + 1280 BW in 24 hrs
              TD 9761'; TO Pmp
8-5-68
              Ppd 3 BO + 1280 BW in 24 hrs
              TD 9761'; TO Pmp
8-12-68
               Ppd 5 BO + 1200 BW in 24 hrs
```

```
TD 9761'; TO Pmp
8-19-68
              To 9761; TO Pmp
8-26-68
              Ppd 100% wtr
9-3-68
              TD 9761'; TO Pmp
              TT 9761'; TO Pmp
9-9-68
              ть 9761'; то Ртр
9-16-68
              TD 9761'; TO Pmp
9-23-68
              Th 9761 ; TO Pmp
9-30-68
              To 9761'; TO Pmp
10-8-68
              TI: 9761; TO Pmp
10-14-68
              TD 9761'; COMPLETE
2-10-69
              LOG TOPS: Anhydrite 2210', Yates 2724',
              San Andres 4084', Glorieta 5436', Tubb
              6910', Abo 7718', Wolfcamp 8978', Bough "C"
              9:54
              Completed in Vada Field.
              COMPLETION REPORTED
2-13-69
```

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

For .-102 S-F sedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section Well No. **BTA OIL PRODUCERS** KATY 684 LTD Unit Letter Section Township County " B" 9-5 35-E LEA Actual Footage Location of Well: 660 NORTH 1980 EAST feet from the line and feet from the Ground Level Elev. Producing Formation Dedicated Acreage: 4203 BOUGH."C" **VADA - PENN EXTENSION** 160 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes If answer is "yes," type of consolidation If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information con-1900 tained herein is true and complete to the best of my knowledge and belief. ACRES Production Supt. BTA Oil Producers February I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the knowledge and belief. APRIL 10, 1968 Registered Professional Eng

660

1320 1650

1980, 2810

2000

1500

1000