



NEW MEXICO ENERGY, MINERALS
& NATURAL RESOURCES DEPARTMENT

OIL CONSERVATION DIVISION
2040 South Pacheco Street
Santa Fe, New Mexico 87505
(505) 827-7131

Ad Donna Sylvester

ADMINISTRATIVE ORDER SWD-735

**APPLICATION OF NEW MEXICO SALT WATER DISPOSAL, INC. FOR SALT
WATER DISPOSAL, LEA COUNTY, NEW MEXICO.**

**ADMINISTRATIVE ORDER
OF THE OIL CONSERVATION DIVISION**

Under the provisions of Rule 701(B), New Mexico Salt Water Disposal, Inc., Inc. made application to the New Mexico Oil Conservation Division on December 11, 1998, for permission to complete for salt water disposal its Continental State Well No.1 located 1976.6 feet from the North line and 1970.1 feet from the West line (Unit F) of Section 18, Township 10 South, Range 34 East, NMPM, Lea County, New Mexico.

THE DIVISION DIRECTOR FINDS THAT:

- (1) The application has been duly filed under the provisions of Rule 701(B) of the Division Rules and Regulations;
- (2) Satisfactory information has been provided that all offset operators and surface owners have been duly notified;
- (3) The applicant has presented satisfactory evidence that all requirements prescribed in Rule 701 will be met; and
- (4) An objection was received within the waiting period prescribed by said rule, but is satisfied by conditions contained herein.
- (5) The application should be approved.

IT IS THEREFORE ORDERED THAT:

The applicant herein, is hereby authorized to complete its Continental State Well No.1 located 1976.1 feet from the North line and 1970.1 feet from the West line (Unit F) of Section 18, Township 10 South, Range 34 East, NMPM, Lea County, New Mexico, in a such manner as to permit the injection of produced salt water for disposal purposes into the San Andres formation from approximately 4692 feet to 4826 feet through 2-3/8 inch fiberglass tubing set in a packer located at approximately 4592 feet.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the injected water enters only the proposed injection interval and is not permitted to escape to other formations or onto the surface.

Prior to commencing injection operations into the well, the casing shall be pressure tested from the surface to the packer setting depth to assure the integrity of said casing.

The casing-tubing annulus shall be loaded with a inert fluid and equipped with a pressure gauge at the surface or left open to the atmosphere to facilitate detection of leakage in the casing, tubing, or packer.

The injection well or system shall be equipped with a pressure limiting device which will limit the wellhead pressure on the injection well to no more than 500 psi.

The well may be perforated at additional intervals within the San Andres formation between approximately 4200 feet and 5300 feet provided the packer is located within 100 feet of the uppermost injection perforation. The operator shall notify the Hobbs district office prior to commencing with any workover operations.

The Director of the Division may authorize an increase in injection pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the injected fluid from the San Andres formation. Such proper showing shall consist of a valid step-rate test run in accordance with and acceptable to this office.

The operator shall notify the supervisor of the Hobbs district office of the Division of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed.

The operator shall immediately notify the supervisor of the Hobbs district office of the Division of the failure of the tubing, casing, or packer in said well and shall take such steps as may be timely and necessary to correct such failure or leakage.


PROVIDED FURTHER THAT, jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh water or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the injection authority granted herein.

The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Rule Nos. 706 and 1120 of the Division Rules and Regulations.

Administrative Order SWD-735
New Mexico Salt Water Disposal, Inc., Inc.
January 19, 1999
Page 3

The injection authority granted herein shall terminate one year after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request by the operator, may grant an extension thereof for good cause shown.

Approved at Santa Fe, New Mexico, on this 19th day of January, 1999.


LORI WROTENBERY, Director

LW/BES/kv

cc: Oil Conservation Division – Hobbs /
State Land Office – Oil and Gas Division