

Submit 3 Copies
- 1 Appropriate
District Office

State of New Mexico
Encl., Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-22551
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. K-1112
7. Lease Name or Unit Agreement Name Continental State
8. Well No. 1
9. Pool name or Wildcat SWD Bough C Vada Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☐ OTHER Salt Water Disposal

2. Name of Operator
New Mexico Salt Water Disposal Company, Inc.

3. Address of Operator
P. O. Box 1518

4. Well Location
Unit Letter F : 1976.6 Feet From The North Line and 1970.1 Feet From The West Line

Section 18 Township 10S Range 34E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Additional perforations/treat ☒
Well ready for SWD.

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

06/23/98 MIRUPU. Perforate additional holes 9,866'-80' w/ 4 spf. Run tbg and pkr, treat w/ 5,000 gal of 20% NEFe acid plus additives pumped @ 5-10 BPM. POH w/ pkr. RIH w/ 5 1/2" M1X nickle plated pkr, and 1.78" profile on work string. Set pkr @ 9,700'. POH w/ workstring. RIH w/ 2 3/8" IJ fiberglass tbg and on-off tool. Latch pkr @ 9,700'. Space out and land tbg. Test annulus to 300 psi for 20 min-OK. NUWH. Rls equipment, well ready for SWD.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE John C. Maxey, Jr. TITLE Agent DATE 8-5-98
TYPE OR PRINT NAME John C. Maxey, Jr. TELEPHONE NO. 505/622-3770

(This space for State Use)

ORIGINAL SIGNED BY CHRIS WILLIAMS
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE AUG 18 1998

CONDITIONS OF APPROVAL, IF ANY:



