

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
K-5442

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator	8. Farm or Lease Name
Tom Brown Drilling Company, Inc.	T. P. State
3. Address of Operator	9. Well No.
P. O. Box 5706, Midland, Texas 79701	1
4. Location of Well	10. Field and Pool, or Wildcat
UNIT LETTER D , 766 FEET FROM THE North LINE AND 766 FEET FROM THE West LINE, SECTION 25 TOWNSHIP 10-S RANGE 33-E NMPM.	Inbe Penn.
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
Unknown	Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Bough "C" perforations in this well are 9878' to 9888'. Will set C.I. Bridge Plug at 9800' and spot 2 sacks of cement on top of same. Will spot following cement plugs:

30 sack plug at 4½" casing stub if below top of San Andres.
40 sack plug across 8 5/8" casing shoe at 3980'.
25 sack plug at 8 5/8" casing stub.
25 sack plug at 12 3/4" casing shoe at 365'.
10 sack plug at surface with marker.

(Mud laden fluid will be left in hole.)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Thomas C. Brown TITLE President DATE 12-15-71

APPROVED BY Joe D. Ramey TITLE Dist. I, Supv. DATE DEC 17 1971

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

DEC 1 1971

OIL CONSERVATION COMM.
HONOLULU, H.I.

1971