

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
K-2466	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-		7. Unit Agreement Name
2. Name of Operator Union Oil Company of California		8. Farm or Lease Name Southland"13" State Com.
3. Address of Operator P. O. Box 671 - Midland, Texas 79701		9. Well No. 1
4. Location of Well UNIT LETTER <u>G</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>1980</u> FEET FROM THE <u>East</u> LINE SECTION <u>13</u> TOWNSHIP <u>10 South</u> RANGE <u>33 East</u> N.M.P.M.		10. Field and Pool, or Wildcat Inbe Permo Pcnn
15. Elevation (Show whether DF, RT, GR, etc.) 4201' GR		12. County Lea

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

T.D. 9,910' P.B.T.D. 9,874' PERFS. 9,853' to 9,858'
CASING RECORD: 11-3/4" @ 402' w/ 275 sx, 8-5/8" @ 4,000' w/ 400 sx, 5-1/2" @ 9,908' w/ 300 sx
Sting into Model N Packer @ 9,777', squeeze perfs. 9,853'-9,858' w/ 40 sx Class C cement and
dump 5 sx cement on top (Plug No. 1 9,732' to 9,858')
Spot Plug No. 2 from 8,000' to 7,775' w/ 25 sx Class C cement
Free-Point 5-1/2" Casing and cut off (At approx. 6,000')
Spot Plug No. 3 in and out of 5-1/2" Casing stub from 6,150' to 5,825' w/ 60 sx Class C cement
Spot Plug No. 4 from 5,373' to 5,140' with 60 sx Class C cement (Top of Glorieta @ 5,373')
Spot Plug No. 5 at 8-5/8" Casing Shoe from 4,100' to 3,890' w/ 60 sx Class C cement
Free-Point 8-5/8" Casing and cut off (At approx. 1,200')
Spot Plug No. 6 in and out of 8-5/8" Casing stub from 1,350' to 1,120' w/ 100 sx Class C Cement
Spot Plug No. 7 at 11-3/4" Casing Shoe from 500' to 300' w/ 100 sx Class C cement
Spot Plug No. 8 from 35' to surface with 20 sx Class C cement
Weld steel plate on 11-3/4" Casing and install surface marker as per regulations
Clean up location and abandon.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Acting Dist. Drilling Supt. DATE April 26, 1974

APPROVED BY _____ TITLE _____ DATE APR 26 1974

CONDITIONS OF APPROVAL, IF ANY: