

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.O.S.		
LAND OFFICE		
OPERATOR		

C.L. CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator The Superior Oil Co.	8. Farm or Lease Name Pruitt Comm #1
3. Address of Operator P.O. Box 71, Conroe, Texas 77301	9. Well No. 1
4. Location of Well UNIT LETTER L, 1830 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 22 TOWNSHIP 9-S RANGE 34-E N.M.P.M.	10. Field and Pool, or Wildcat Vada Penn-Wolfcamp
15. Elevation (Show whether DF, RT, GR, etc.) GL 4233 KB 4248	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Loaded well with water, installed B.O.P., pulled rods & pump & tubing.
2. Set cast iron bridge plug @ 9425' & set 35' cement on top.
3. Filled hole with 10#/gal salt water gel mud.
4. Set 100' cement plug from 7682' to 7782' & from 5405' to 5505' using 45 sks each plug.
5. Determined free-point on 5½" csg @ 4220', cut csg & pulled out of hole.
6. Set 100' plug, 50' above & 50' below cut @ 4220'. (45 sks)
7. Determined free-point on 8 5/8 csg @ 840', cut csg & pulled out of hole.
8. Set 100' plug from 800' to 900' (60 sks) & 100' plug from 440' to 540' (60 sks).
9. Dumped 10' of cement in top of hole.
10. Marked well in accordance with New Mexico Oil Conservation Commission.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED C.B. Bell TITLE Sr. Prod. Supervisor DATE 3-20-80

APPROVED BY TITLE OIL & GAS INSPECTOR DATE JUL 27 1980

CONDITIONS OF APPROVAL, IF ANY: