. OF COPIES RECEIVED	i	Form C-103
		Supersedes Old
DISTRIBUTION	NEW HEXICO OLL CONSERVATION COMMISSION	C-102 and C-103 Effective 1-1-65
S ITA FE		
		5a. Indicate Type of Lease
U.S.G.S.		State Fee X
LAND OFFICE		5. State Oil & Gas Lease No.
OPERATOR		
	SUNDRY NOTICES AND REPORTS ON WELLS	
DO NOT USE THIS	SUNDRY NOTICES AND REPORTS ON WELLS FORM FOR PROPOSALS TO DE FLU OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. ISE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)	
011	AS	7. Unit Agreement Name
WELL	VELL OTHER-	8. Farm or Lease Name
Nume of Operator		
	evens, Inc.	Ainsworth 9. Well No.
3. Address of Operator		
	2126, Roswell, New Mexico 88201	2 10. Field and Pool, or Wildcat
. Location of Well		_
UNIT LETTER P	554 FEET FROM THE South LINE AND 554 FEET FROM	Vada Penn
THE East	LINE, SECTION 19 TOWNSHIP 9-South RANGE 34-East NMPM.	
****		<u> </u>
	15. Elevation (Show whether DF, RT, GR, etc.)	12. County
	4297.6' GR - 4308.6' RKB	Lea AMMINI
.6.	Check Appropriate Box To Indicate Nature of Notice, Report or Oth	er Data REPORT OF:
NO	TICE OF INTENTION TO: SUBSEQUENT	
	PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING
PERFORM REMEDIAL WORK	COMMENCE DRILLING OPNS.	PLUG AND ABANDONMENT
TEMPORARILY ABANDON		
PULL OR ALTER CASING		
	OTHER	
OTHER		
	Completed Operations (Clearly state all pertinent details, and give pertinent dates, including	estimated date of starting any proposed
work) SEE RULE 11		
TD 9890'	lm. w/ perforation @ 9816'-9824'. Plugged and abandoned	l as follows:
Plug	ging operations commenced 7-2-76	
1.	Circulate hole full of good mud.	
2.	Set cast iron bridge plug @ 9700' and spotted 35' cement	plug on top of
	bridge plug.	
3.	Cut and pulled 5 1/2' casing @ 4224'.	
4.	Set cement plugs as follows:	
	35 sx. cement plug 4150'-4250' across 5 1/2" casing	stub.
	35 sx. cement plug 3950'-4050' across 8 5/8' casing	, shoe.
	35 sx. cement plug 2460'-2560' - base of salt .	
	35 sx. cement plug 2060'-2160' - Top of salt.	
5.	Cut and pulled 8 5/8' casing @ 983'.	
6.	Set cement plugs as follows:	
· •	100 sx. cement plug 930'-1030' across 8 5/8' casing	g stub.
	100 sx. cement plug 350'-450' across 12 3/8" casir	ng shoe.
	10 sx. cement plug 0'-10' - surface plug.	
7.	Installed regulation marker.	
8.	Plugging and abandonment completed 7-14-76.	
о. 9	Will notify when logation is ready for inspection.	
18. I hereby certify that	Will notify when location is ready for inspection, the information above is true and complete to the best of my knowledge and belief.	
Sol.	Autorom Ma IIILE Agent	DATE 8-10-76
SIGNED / Mu		
ADDROVED	the degg our and another	₩ 12 N (2)
APPROVED BY 1. L.L.T.		
CONDITIONS OF APPR		